Abstract Bushfire is an ever-present force in the Australian Bush. However, the majority of Aborignal Culturel Heritage (ACH) remains unrecorded, and the impact of bushfires biandscape and encounters various types of ACH the vulnerability of the theritage will depend on the fire behaviour; the location of the heritage entities (such as if it is on the surface or subsurface); the nature of the heritage of ACH the vulnerability of the heritage in the vulnerability of the behaviour; the location of the heritage of ACH the vulnerability of ACH is difficult as in any actual fire these variables and their impact on the heritage of ACH the vulnerability of ACH is difficult as in any actual fire these variables and their impact on the heritage are difficult to accurately predict. The ACH Vulnerability to Bushfire: The ACH Vulnerability of bushfire across NSW. It is based on the modelled Aboriginal Sites Decision Support Tool (SDST)1. The product, and its method of derivation, has a range of applications to assess the vulnerability of Aboriginal heritage in its toal to avoid reseas of the vulnerability of Aboriginal heritage in the subaffire across NSW. It is based on the modelled porduce a alot scape-wide risk map that can be used to assess the vulnerability of Aboriginal heritage in this toal to accessary to address the again in knowledge about Aboriginal heritage in the subaffire across NSW. It is based on the modelled porduce a landscape-wide risk to al prostness the submerses of the vulnerability of VAD original heritage in the subaffire across NSW. It is based on the modelled position of recorded Aboriginal heritage in NSW and applying a basis approach to produce a landscape wide risk to al prostness the vulnerability of various Natural Heritage in the vulnerability of VAD original heritage in the toal vulnerability of VAD original heritage in the subaffications to assess the vulnerability of the vulnerability of VAD original heritage in the vulnerability of VAD origin	Title	Aboriginal cultural heritage vulnerability to bushfires and prescribed burning
Pata Quality StatementName: Data Quality Statement Protocol: WWW:DOWNLOAD-1.0-httpdownload Description: Data quality statement for Aboriginal cultural heritage vulnerability to bushfires and prescribed burning Function: downloadACH fire yulnerability user guideName: ACH fire vulnerability user guide Protocol: WWW:DOWNLOAD-1.0-httpdownload Description: User Guide for Aboriginal cultural heritage vulnerability to bushfires and prescribed burning Dataset Function: downloadDownload Package PackageName: Download Package Protocol: WW:DOWNLOAD-1.0-httpdownload Description: Dataset Function: download Package Protocol: WW:DOWNLOAD-1.0-httpdownload Description: Data (Shapefile) Function: downloadDurique resourceItinic (Shapefile) Function: downloadCode3fe3d5cf-7e87-47d1-9074-f06c6d4923ebPresentation formMap digital	Abstract	Aboriginal Cultural Heritage (ACH) remains unrecorded, and the impact of bushfires on that heritage is not well understood or predicted. As a bushfire moves through the landscape and encounters various types of ACH the vulnerability of that heritage will depend on the fire behaviour; the location of the heritage material (such as if it is on the surface or subsurface); the nature of the heritage object and its vulnerability to radiant of convective heat, embers, soot, smoke or other outputs of a fire burning through fuel. Understanding the predicted vulnerability of ACH is difficult as in any actual fire these variables and their impact on the heritage are difficult to accurately predict. The ACH Vulnerability to Bushfire Product is a first step towards better predicting the vulnerability of both known and unknown ACH to Bushfire. The ACH Vulnerability to Bushfire product is an initial attempt to map the vulnerability of Aboriginal Culture and Heritage to bushfire across NSW. It is based on the modelled potential distribution of ACH across the landscape in NSW as mapped in the Aboriginal Sites Decision Support Tool (ASDST)1. The product, and its method of derivation, has a range of applications to assess the vulnerability of various Natural Hazards or management actions to Aboriginal heritage. The effectiveness of the vulnerability product is based on developing a landscape scale understanding of the distribution of recorded Aboriginal Sites in NSW and applying a basic approach to produce a landscape-wide risk map that can be used to assess the vulnerability of ACH. The use of predictive methods is necessary to address the gap in knowledge about Aboriginal heritage in its totality across landscape – the majority of Aboriginal heritage has not been recorded due to gaps in where survey and assessment for Aboriginal heritage have been undertaken. Thus, the vulnerability product assists spatial assessment of the risk to all potential Aboriginal heritage in a landscape – in addition to the recorded Aboriginal herita
Statement Protocol: WWW:DOWNLOAD-1.0-httpdownload Description: Description: Data quality statement for Aboriginal cultural heritage vulnerability to bushfires and prescribed burning Function: download ACH fire vulnerability user guide vulnerability user guide Protocol: WWW:DOWNLOAD-1.0-httpdownload Description: User Guide for Aboriginal cultural heritage vulnerability to bushfires and prescribed burning Dataset Function: download Name: Download Package Protocol: WWW:DOWNLOAD-1.0-httpdownload Description: User Guide for Aboriginal cultural heritage vulnerability to bushfires and prescribed burning Dataset Function: download Package Protocol: WWW:DOWNLOAD-1.0-httpdownload Description: Data (Shapefile) Function: download Description: Data (Shapefile) Function: download Ditteresource Code 3fe3d5cf-7e87-47d1-9074-f06c6d4923eb Presentation or man digital	Resource locato	Dr
Statement Protocol: WWW:DOWNLOAD-1.0-httpdownload Description: Description: Data quality statement for Aboriginal cultural heritage vulnerability to bushfires and prescribed burning Function: download ACH fire vulnerability user guide Protocol: WWW:DOWNLOAD-1.0-httpdownload Description: User Guide for Aboriginal cultural heritage vulnerability to bushfires and prescribed burning Dataset Function: download Download Package Protocol: WWW:DOWNLOAD-1.0-httpdownload Description: User Guide for Aboriginal cultural heritage vulnerability to bushfires and prescribed burning Dataset Function: download Package Protocol: WWW:DOWNLOAD-1.0-httpdownload Description: Data (Shapefile) Function: download Description: Data (Shapefile) Function: download Discription: Data (Shapefile) Function: download Code 3fe3d5cf-7e87-47d1-9074-f06c6d4923eb Presentation form Map digital	Data Quality	Name: Data Quality Statement
ACH fire yulnerability user guideData quality statement for Aboriginal cultural heritage vulnerability to bushfires and prescribed burning Eunction: downloadACH fire yulnerability user guideName: ACH fire vulnerability user guide Protocol: WWW:DOWNLOAD-1.0-httpdownload Description: User Guide for Aboriginal cultural heritage vulnerability to bushfires and prescribed burning DatasetPownload Package Package Protocol: WWW:DOWNLOAD-1.0-httpdownload Description: Data (Shapefile) Eunction: downloadUtique resourceUtique resourceCode3fe3d5cf-7e87-47d1-9074-f06c6d4923ebPresentation formMap digital		Protocol: WWW:DOWNLOAD-1.0-httpdownload
prescribed burningFunction: downloadACH fire vulnerability user guidevulnerability userProtocol: WWW:DOWNLOAD-1.0-httpdownloadDescription:User Guide for Aboriginal cultural heritage vulnerability to bushfires and prescribedburning DatasetFunction: downloadPackageProtocol: WWW:DOWNLOAD-1.0-httpdownloadDownloadName: Download PackageProtocol: WWW:DOWNLOAD-1.0-httpdownloadDescription:Data (Shapefile)Data (Shapefile)Function: downloadNation: downloadVulneresource-turtifierCode3fe3d5cf-7e87-47d1-9074-f06c6d4923ebPresentation form		Description:
ACH fire yulnerability user guideName: ACH fire vulnerability user guide Protocol: WWW:DOWNLOAD-1.0-httpdownload Description: User Guide for Aboriginal cultural heritage vulnerability to bushfires and prescribed burning DatasetPownload Package Protocol: WWW:DOWNLOAD-1.0-httpdownload Portocol: WWW:DOWNLOAD-1.0-httpdownload Description: Description: Description: Description: Description: Description: Description: Description: Description: 		
wulnerability user guideProtocol: WWW:DOWNLOAD-1.0-httpdownload Description: User Guide for Aboriginal cultural heritage vulnerability to bushfires and prescribed burning DatasetPownload PackageName: Download Package Protocol: WWW:DOWNLOAD-1.0-httpdownload Description: Data (Shapefile) Function: downloadUnique resourceImage: State Stat		Function: download
guideProtocol: WWW:DOWNLOAD-1.0-httpdownloadDescription:User Guide for Aboriginal cultural heritage vulnerability to bushfires and prescribed burning DatasetPownloadName: Download Package Protocol: WWW:DOWNLOAD-1.0-httpdownloadPackageProtocol: WWW:DOWNLOAD-1.0-httpdownload Description: Data (Shapefile) Function: downloadUnique resourceImage: State S	ACH fire	Name: ACH fire vulnerability user guide
Description:User Guide for Aboriginal cultural heritage vulnerability to bushfires and prescribed burning DatasetFunction: downloadPownloadName: Download Package Protocol: WWW:DOWNLOAD-1.0-httpdownload Description: Data (Shapefile) Function: downloadData (Shapefile) Function: downloadCodeSfe3d5cf-7e87-47d1-9074-f06c6d4923ebPresentation formMap digital	· · · · · · · · · · · · · · · · · · ·	Protocol: WWW:DOWNLOAD-1.0-httpdownload
burning Dataset Function: download Package Protocol: WWW:DOWNLOAD-1.0-httpdownload Description: Data (Shapefile) Function: download Unique resource Code 3fe3d5cf-7e87-47d1-9074-f06c6d4923eb Presentation form Map digital	<u>guiue</u>	Description:
Download PackageName: Download Package Protocol: WWW:DOWNLOAD-1.0-httpdownload Description: Description: Data (Shapefile) Function: downloadUnique resource totifierCode3fe3d5cf-7e87-47d1-9074-f06c6d4923ebPresentation formMap digital		
PackageProtocol: WWW:DOWNLOAD-1.0-httpdownload Description: Data (Shapefile) Function: downloadUnique resourceEurotion: downloadCode3fe3d5cf-7e87-47d1-9074-f06c6d4923ebPresentation formMap digital		Function: download
Protocol: WWW:DOWNLOAD-1.0-httpdownload Description: Data (Shapefile) Function: download Unique resource dentifier Code 3fe3d5cf-7e87-47d1-9074-f06c6d4923eb Presentation form Map digital		Name: Download Package
Data (Shapefile) Function: downloadUnique resource tentifierCode3fe3d5cf-7e87-47d1-9074-f06c6d4923ebPresentation formMap digital		Protocol: WWW:DOWNLOAD-1.0-httpdownload
Function: downloadUnique resource identifierCode3fe3d5cf-7e87-47d1-9074-f06c6d4923ebPresentation formMap digital		Description:
Unique resource identifierCode3fe3d5cf-7e87-47d1-9074-f06c6d4923ebPresentation formMap digital		Data (Shapefile)
Code 3fe3d5cf-7e87-47d1-9074-f06c6d4923eb Presentation form Map digital		Function: download
Presentation form Map digital	Unique resource	e identifier
form Map digital	Code	3fe3d5cf-7e87-47d1-9074-f06c6d4923eb
Edition 1.0		Map digital
	Edition	1.0

Dataset language	English		
Metadata standard			
Name	ISO 19115		
Edition	2016		
Dataset URI	https://datasets.seed.nsw.gov.au/dataset/3fe3d5cf-7e87-47d1-9074-f06c6d4923eb		
Purpose	Fire Planning		
Status	Completed		
Spatial representation type	grid		
Spatial reference	e system		
Code identifying the spatial reference system	4283		
Spatial resolution	35 m		
Topic category			

eyword value	HERITAGE-Aboriginal
	HAZARDS-Fire
	HUMAN-ENVIRONMENT-Planning
Originating controlled vocabulary	
Title	ANZLIC Search Words
Reference date	2008-05-16
Geographic location	
West bounding longitude	139.86914
East bounding longitude	154.107421
North bounding latitude	-38.058472
South bounding latitude	-28.451305
NSW Place Name	NSW
Vertical extent information	
Minimum value	-100
Maximum value	2228
Coordinate reference system	
Authority code	urn:ogc:def:cs:EPSG::
Code identifying the coordinate reference system	5711
Temporal extent	
Begin position	2023-01-01
End position	N/A
Dataset reference date	
Resource maintenance	
Maintenance and update frequency	Irregular
Contact info	
Contact position	Data Broker
Organisation name	NSW Department of Climate Change, Energy, the Environment and Water
Telephone number	131555
Email address	data.broker@environment.nsw.gov.au
Web address	https://www.nsw.gov.au/departments-and-agencies/dcceew
Responsible party role	pointOfContact

Limitations on public access				
Scope c	dataset			
DQ Completeness Commission				
Effective 2 date	2023-01-01			
Explanation A V	Aboriginal cultural heritage vulnerability to bushfires and prescribed burning ACH Vulnerability to Bushfire product user guide			
Responsible pa	ırty			
Contact position	Data Broker			
Organisation nam	NSW Department of Climate Change, Energy, the Environment and Water			
Telephone numbe	er 131555			
Email address	data.broker@environment.nsw.gov.au			
Web address	https://www.nsw.gov.au/departments-and-agencies/dcceew			
Responsible party	role pointOfContact			
Metadata point of contact				
Contact position	Data Broker			
Organisation nam	NSW Department of Climate Change, Energy, the Environment and Water			
Telephone numbe	er 131555			
Email address	data.broker@environment.nsw.gov.au			
Web address	https://www.nsw.gov.au/departments-and-agencies/dcceew			
Responsible party	role pointOfContact			
Metadata date	2024-02-26T13:28:40.668400			
Metadata language				