

Title	Braidwood 1:100 000 Hydrogeological Landscapes: June 2010 (First Edition)
Alternative title(s)	Braidwood Hydrogeological Landscapes (HGL)
Abstract	<p>The Hydrogeological Landscape (HGL) concept provides a structure for the understanding of how salinity manifests itself in the landscape and how differences in salinity are expressed across the landscape. A HGL spatially defines areas of similar salt stores and pathways for salt mobilisation. The process of HGL determination relies on the integration of a number of factors: geology, soils, slope, regolith depth, and climate; an understanding of the differences in salinity development; and the impacts (land salinity/salt load/water electrical conductivity) in landscapes. Information sources such as soils maps, site characterisation, salinity site mapping, hydrogeological conditions and surface and groundwater data are combined to develop standard templates for each HGL.</p> <p>The focus of this package is the Braidwood 1:100 000 map sheet area. It comprises five volumes - Volume 1: project background, regional setting, methodologies, interpretations, conclusions, glossary and references; Volume 2: HGL templates, and information associated with the use of the HGL templates; Volume 3: maps and digital spatial data developed for the project, including derivative maps to assist in land management decision making; Volume 4: background information relevant to land management for salinity in the Braidwood area. This includes information on salinity management from the perspectives of land use design, scales and types of management, landscape function, management strategies, actions and outcomes, as well as land use to be avoided; and Volume 5: findings and interpretations for a soil EC case study in the Windellama area. The soil laboratory measurements, electromagnetic survey and soil characterisations undertaken for the case study serve as a cross check to the information collected as part of the wider Braidwood HGL project.</p> <p>Spatial resolution for this product is 1:100 000.</p>
Resource locator	
Data Quality Statement	<p>Name: Data Quality Statement</p> <p>Protocol: WWW:DOWNLOAD-1.0-http--download</p> <p>Description:</p> <p>DQS - Braidwood 1:100 000 Hydrogeological Landscapes: June 2010 (First Edition)</p> <p>Function: download</p>
Braidwood HGL package June 2010	<p>Name: Braidwood HGL package June 2010</p> <p>Protocol: WWW:DOWNLOAD-1.0-http--download</p> <p>Description:</p> <p>Contains Braidwood HGL attributed boundary shapefile, PDF versions of derivative maps, and PDF versions of Braidwood HGL report and individual HGL descriptions.</p> <p>Function: download</p>
Unique resource identifier	
Code	b45d278f-7b80-4a6d-a534-56877580b321
Presentation form	Map digital
Edition	First
Dataset language	English
Metadata standard	

Name	ISO 19115
Edition	2016
Dataset URI	https://datasets.seed.nsw.gov.au/dataset/b45d278f-7b80-4a6d-a534-56877580b321
Purpose	This data package was generated for the Southern Rivers Catchment Management Authority (SRCMA). Funding for this project was from the NSW Salinity Strategy Enhancement Program.
Status	Completed
Spatial representation	
Type	vector
Geometric Object Type	complex
Spatial reference system	
Code identifying the spatial reference system	4283
Equivalent scale	1:None
Additional information source	Source datasets: Soil Landscapes of the Braidwood 1:100 000 Sheet (DECCW); GEODATA TOPO 250K Series 3 (Geoscience Australia); Radiometric Map of Australia, 2009 (Geoscience Australia); Braidwood 1:100 000 solid geology map - preliminary compilation (NSW Geological Survey); New South Wales DTDB Landform Theme 50K Digital Terrain Models (Land and Property Management Authority); New South Wales Digital Topographic Database DTDB (Land and Property Management Authority); High resolution annual rainfall gridded datasets from 1900 onwards (Bureau of Meteorology)
Topic category	
Keyword set	
keyword value	<p>GEOSCIENCES-Geology</p> <p>GEOSCIENCES-Geomorphology</p> <p>GEOSCIENCES-Hydrogeology</p> <p>HAZARDS</p> <p>LAND-Use</p> <p>SOIL</p> <p>WATER-Salinity</p>
Originating controlled vocabulary	
Title	ANZLIC Search Words
Reference date	2008-05-16
Geographic location	
West bounding longitude	149.5
East bounding longitude	150
	-35.5

North bounding latitude	-35
NSW Place Name	Braidwood
Vertical extent information	
Minimum value	-100
Maximum value	2228
Coordinate reference system	
Authority code	urn:ogc:def:cs:EPSG::
Code identifying the coordinate reference system	5711
Temporal extent	
Begin position	2008-07-01
End position	N/A
Dataset reference date	
Resource maintenance	
Maintenance and update frequency	Not planned
Contact info	
Contact position	Data Broker
Organisation name	NSW Department of Climate Change, Energy, the Environment and Water
Telephone number	131555
Email address	data.broker@environment.nsw.gov.au
Web address	https://www.nsw.gov.au/departments-and-agencies/dcceew
Responsible party role	pointOfContact
Lineage	<p>The hydrogeological landscape (HGL) mapping used the following base data for delineation of map units: Published and pre-publication 1:100 000 geological mapping data (polygon) - Braidwood 1:100 000 map sheet area; Published and pre-publication 1:100 000 and 1:250 000 soil landscape data (polygon); Soil profile data from the DECCW SALIS database (point); Digital Elevation Model (DEM) for Southern Rivers CMA and derivative products taken from the 25 metre DEM; Radioelement imagery derived from the Radiometric Map of Australia, 1st Edition, 2009, and; Field observations and assessment.</p> <p>The published, pre-publication and reconnaissance level mapping were combined and rationalised to create a complete hydrogeological landscape classification (map unit) coverage for the entire Braidwood 1:100 000 map sheet area.</p>
Limitations on public access	

Scope	dataset
DQ Completeness Commission	
Effective date	2010-07-01
Explanation	Spatial data capture is complete for presentation and usage at 1:100 000 only.
DQ Completeness Omission	
Effective date	2001-01-01
DQ Conceptual Consistency	
Effective date	1900-01-01
DQ Topological Consistency	
Effective date	2010-07-01
Explanation	All polygons in the coverage are topologically correct and all polygons have been attributed. Data has been visually checked at applicable scales.
DQ Absolute External Positional Accuracy	
Effective date	2010-07-01
Explanation	The accuracy of the coverage varies across the mapping area as map polygon boundaries were derived from different sources. HGL boundaries derived from published and draft 1:100 000 scale mapping are generally accurate to 100 m. HGL boundaries derived from published 1:250 000 scale mapping are approximate and generally accurate to 250 m.
DQ Non Quantitative Attribute Correctness	
Effective date	2010-07-01
Explanation	All polygons are labelled with a hydrogeological landscape unit tag, and attributed with information relevant to salinity management. Attributes were checked as part of routine GIS capture quality assurance procedures, including a visual check of polygon tags against field data. During the fieldwork phase, regular meetings were held to discuss and review methods, processes and consistency in landscape interpretation and documentation.
Responsible party	
Contact position	Data Broker
Organisation name	NSW Department of Climate Change, Energy, the Environment and Water
Telephone number	131555
Email address	data.broker@environment.nsw.gov.au
Web address	https://www.nsw.gov.au/departments-and-agencies/dcceew
Responsible party role	pointOfContact

Metadata point of contact

Contact position	Data Broker
Organisation name	NSW Department of Climate Change, Energy, the Environment and Water
Telephone number	131555
Email address	data.broker@environment.nsw.gov.au
Web address	https://www.nsw.gov.au/departments-and-agencies/dcceew
Responsible party role	pointOfContact

Metadata date 2024-02-26T13:01:59.178626

Metadata language