

Title	Fire Extent and Severity Mapping (FESM) 2017/18
Alternative title(s)	FESMv3
Abstract	<p>Fire severity is a metric of the loss of biomass caused by fire. In collaboration with the NSW Rural Fire Service, DPE Remote Sensing & Regulatory Mapping team has developed a semi-automated approach to mapping fire extent and severity through a machine learning framework based on sentinel 2 satellite imagery. The statewide severity map has standardised classes to allow comparison of different fires across the landscape. The FESM severity classes include: unburnt, low severity (burnt understory, unburnt canopy), moderate severity (partial canopy scorch), high severity (complete canopy scorch, partial canopy consumption), extreme (full canopy consumption).</p> <p>This dataset represents the 2017/18 fire year, including wildfires >100ha with fire start date between July 2017 and June 2018.</p>
Resource locator	<p>Show on SEED Web Map Name: Show on SEED Web Map Protocol: WWW:DOWNLOAD-1.0-http--download Description: Display dataset on SEED's map Function: download</p> <p>Data Quality Statement Name: Data Quality Statement Protocol: WWW:DOWNLOAD-1.0-http--download Description: Data quality statement for Fire Extent and Severity Mapping (FESM) 2017/18 Function: download</p> <p>Data Download Package Name: Data Download Package Protocol: WWW:DOWNLOAD-1.0-http--download Description: FESM - data in ESRI GRID format + ESRI Layer file Function: download</p> <p>Data Download Package Name: Data Download Package Protocol: WWW:DOWNLOAD-1.0-http--download Description: FESM - data in IMG and TIFF format Function: download</p> <p>NSW Fire Extent and Severity Mapping (FESMv3) Factsheet Name: NSW Fire Extent and Severity Mapping (FESMv3) Factsheet Protocol: WWW:DOWNLOAD-1.0-http--download Description: Metadata and method factsheet Function: download</p> <p>ArcGIS REST Service Name: ArcGIS REST Service Protocol: WWW:DOWNLOAD-1.0-http--download Description: An ArcGIS Server web service represents a GIS resource—such as a map, locator, or</p>

image—that is located on an ArcGIS Server site and is made available to client applications. Depending on the layers enabled, this web service allows a user to query its features and/or visualise the dataset. This service is aimed at advanced geographical information users, and will require access to geographical information system (GIS) software such as ArcGIS/ArcMap.

Function: download

Unique resource identifier

Code 6ff6aedc-5131-4667-ac34-e9d9aa8aeb99

Presentation form Map digital

Edition FESMv3

Dataset language English

Metadata standard

Name ISO 19115

Edition 2016

Dataset URI <https://datasets.seed.nsw.gov.au/dataset/6ff6aedc-5131-4667-ac34-e9d9aa8aeb99>

Purpose Bushfire response planning and analysis by land and environmental managers

Status Completed

Spatial representation type grid

Spatial reference system

Code identifying the spatial reference system 4283

Spatial resolution 10 m

Topic category

Keyword set	
keyword value	HAZARDS-Fire ECOLOGY-Ecosystem ECOLOGY-Habitat VEGETATION
Originating controlled vocabulary	
Title	ANZLIC Search Words
Reference date	2008-05-16
Geographic location	
West bounding longitude	140.27344
East bounding longitude	155.08301
North bounding latitude	-36.35477
South bounding latitude	-27.99906
NSW Place Name	NSW
Vertical extent information	
Minimum value	-100
Maximum value	2228
Coordinate reference system	
Authority code	urn:ogc:def:cs:EPSG::
Code identifying the coordinate reference system	5711
Temporal extent	
Begin position	2019-01-01
End position	N/A
Dataset reference date	
Resource maintenance	
Maintenance and update frequency	Not planned
Contact info	
Contact position	Data Broker
Organisation name	NSW Department of Climate Change, Energy, the Environment and Water
Telephone number	131555
Email address	data.broker@environment.nsw.gov.au
Web address	https://www.nsw.gov.au/departments-and-agencies/dcceew
Responsible party role	pointOfContact

Lineage

Layer was developed with a semi-automated approach to mapping fire extent and severity through a machine learning framework based on sentinel 2 satellite imagery. The severity maps have standardised classes to allow comparison of different fires across the landscape.

Originally the layer was produced as an Lamberts Conic Conformal projection IMG TIFF file (but converted to a 10m Esri GRID in in line with internal EES spatial convention for storage on P and SDE).

Limitations on public access

Responsible party

Contact position	Data Broker
Organisation name	NSW Department of Climate Change, Energy, the Environment and Water
Telephone number	131555
Email address	data.broker@environment.nsw.gov.au
Web address	https://www.nsw.gov.au/departments-and-agencies/dcceew
Responsible party role	pointOfContact

Metadata point of contact

Contact position	Data Broker
Organisation name	NSW Department of Climate Change, Energy, the Environment and Water
Telephone number	131555
Email address	data.broker@environment.nsw.gov.au
Web address	https://www.nsw.gov.au/departments-and-agencies/dcceew
Responsible party role	pointOfContact

Metadata date 2024-02-26T15:40:55.403370

Metadata language