Title	Fire Heterogeneity Index - Regions	
Alternative title(s)	FHI - Regions	
Abstract	Remote sensing scientists from the NSW Department of Climate Change, Energy, the Environment and Water (NSW DCCEEW) Science and Insights Division have developed a new approach to mapping the landscape patterns of high severity fire, based on NSW Fire Extent and Severity Mapping (FESM).	
	High severity fire impacts an ecosystem by completely scorching or consuming the canopy biomass. Such impacts can be harmful to biodiversity, although some species benefit or even depend on this level of fire impact.	
	Recent advances in remote sensing of fire and innovative computation solutions by DCCEEW Remote Sensing Scientists offer accessibility to data on fire severity and landscape patterns of fire heterogeneity across broad regions.	
Resource locato	pr	
<u>Data Quality</u> <u>Statement</u>	Name: Data Quality Statement	
	Protocol: WWW:DOWNLOAD-1.0-httpdownload	
	Description:	
	Data quality statement for Fire Heterogeneity Index	
	Function: download	
<u>Published journal</u>	Name: Published journal article	
article	Protocol: WWW:DOWNLOAD-1.0-httpdownload	
	Description:	
	Remotely Sensed Fire Heterogeneity and Biomass Recovery Predicts Empirical Biodiversity Responses	
	Function: download	
<u>Factsheet</u>	Name: Factsheet	
	Protocol: WWW:DOWNLOAD-1.0-httpdownload	
	Function: download	
Unique resource identifier		
Code	75e87134-e662-4a03-977d-a20d857c937a	
Presentation form	Image digital	
Edition	vl	
Dataset language	English	
Metadata stand	ard	
Name	ISO 19115	
Edition	2016	
Dataset URI	https://datasets.seed.nsw.gov.au/dataset/75e87134-e662-4a03-977d-a20d857c937a	
Purpose	fire management and research	

Status	Completed	
Spatial representation type	grid	
Spatial reference system		
Code identifying the spatial reference system	4283	
Spatial resolution	30 m	
Topic category		

Keyword set	
keyword value	HAZARDS-Fire
	ECOLOGY-Landscape
	ECOLOGY-Habitat
	VEGETATION
Originating controlled vocabulary	
Title	ANZLIC Search Words
Reference date	2008-05-16
Geographic location	
West bounding longitude	140.27344
East bounding longitude	155.08301
North bounding latitude	-36.35477
South bounding latitude	-27.99906
NSW Place Name	NSW
Vertical extent information	
Minimum value	-100
Maximum value	2228
Coordinate reference system	
Authority code	urn:ogc:def:cs:EPSG::
Code identifying the coordinate reference system	5711
Temporal extent	
Begin position	2006-01-07
End position	N/A
Dataset reference date	
Resource maintenance	
Maintenance and update frequency	Annually
Contact info	
Contact position	Data Broker
Organisation name	NSW Department of Climate Change, Energy, the Environment and Water
Telephone number	131555
Email address	data.broker@environment.nsw.gov.au
Web address	https://www.nsw.gov.au/departments-and-agencies/dcceew
Responsible party role	pointOfContact

Lineage The fire heterogeneity index (FHI) layers are derived from the Fire Extent and Severity Mapping products, which are generated through a machine learning framework based on Sentinel 2 or Landsat satellite imagery. The high and extreme severity areas are the basis for the calculation of the FHI.

بالمر Limitati

Limitations on public access		
Responsible party		
Contact position	Data Broker	
Organisation name	NSW Department of Climate Change, Energy, the Environment and Water	
Telephone number	131555	
Email address	data.broker@environment.nsw.gov.au	
Web address	https://www.nsw.gov.au/departments-and-agencies/dcceew	
Responsible party role	pointOfContact	
Metadata point of con	tact	
Contact position	Data Broker	
Organisation name	NSW Department of Climate Change, Energy, the Environment and Water	
Telephone number	131555	
Email address	data.broker@environment.nsw.gov.au	
Web address	https://www.nsw.gov.au/departments-and-agencies/dcceew	
Responsible party role	pointOfContact	
Metadata date	2025-04-16T22:10:35.188511	
Metadata language		