Title Historical Fire Extent and Severity Mapping (FESM) - Kosciuszko Region **Alternative** FESM - Kosciuszko title(s) Fire severity is a metric of the loss of biomass caused by fire. In collaboration with **Abstract** the NSW Rural Fire Service, DPE Remote Sensing & Regulatory Mapping team has developed a semi-automated approach to mapping fire extent and severity through a machine learning framework based on satellite imagery. The method uses standardised classes to allow comparison of different fires across the landscape. The FESM severity classes include: unburnt, low severity (burnt understory, unburnt canopy), moderate severity (partial canopy scorch), high severity (complete canopy scorch, partial canopy consumption), extreme (full canopy consumption). Here we provide historical severity mapping for the Kosciuszko region from 1989/90 to 2015/16, which is based on Landsat satellite imagery. From 2016/17 to the current fire year, this region is covered in the statewide FESM data, which is based on Sentinel 2 satellite imagery. Resource locator Name: Data Quality Statement **Data Quality** Statement Protocol: WWW:DOWNLOAD-1.0-http--download Description: Data quality statement for Historical Fire Extent and Severity Mapping (FESM) - Blue **Mountains Region** Function: download Kosciuszko Area Name: Kosciuszko Area of Interest shapefile of Interest Protocol: WWW:DOWNLOAD-1.0-http--download shapefile Description: Shapefile for the Kosciuszko area of interest Function: download Name: Historical FESM - Kosciuszko - Wildfire - 1989-90 to 2015-16 Historical FESM -Kosciuszko -Protocol: WWW:DOWNLOAD-1.0-http--download Wildfire - 1989-90 to 2015-16 Description: Historical FESM mapping for the Kosciuszko region of wildfires from 1989-90 to 2015-16. See the FESM statewide dataset for coverage of this region from 2016-17 onwards. Function: download Historical FESM -Name: Historical FESM - Kosciuszko - Hazard Reductions - 1989-90 to 2015-16 Kosciuszko -Protocol: WWW:DOWNLOAD-1.0-http--download <u>Hazard</u> Reductions -Description: 1989-90 to 2015-Historical FESM mapping for the Kosciuszko region of hazard reduction burns from 16 1989-90 to 2015-16. Function: download FESM method Name: FESM method publication publication Protocol: WWW:DOWNLOAD-1.0-http--download Description: Remote Sensing of Environment Journal Article titled 'A remote sensing approach to

mapping fire severity in south-eastern Australia using sentinel 2 and random forest'

published in April 2020.

satellites Description: Remote Sensing Journal Article title 'Comparing Fire Extent and Severity Mapping between Sentinel 2 and Landsat 8 Satellite Sensors' Function: download Unique resource identifier Code 388a9e65-873e-47f0-845c-9b52c7ead93a Presentation Image digital form **Edition** FESMv3 **Dataset English** language Metadata standard Name ISO 19115 Edition 2016 **Dataset URI** https://datasets.seed.nsw.gov.au/dataset/388a9e65-873e-47f0-845c-9b52c7ead93a **Purpose** fire management planning and reporting, landscape and fire ecology research Completed Status **Spatial** representationgrid type Spatial reference system Code identifying the spatial 4283 reference system Spatial 30 m resolution Topic category

Name: FESM method publication - comparison of satellites

Protocol: WWW:DOWNLOAD-1.0-http--download

Function: download

FESM method publication -

comparison of

Keyword set	
keyword value	HAZARDS-Fire
	ECOLOGY-Landscape
	ECOLOGY-Habitat
	VEGETATION
Originating controlled vocabulary	
Title	ANZLIC Search Words
Reference date	2008-05-16
Geographic location	
West bounding longitude	147.996826
East bounding longitude	148.897705
North bounding latitude	-36.9305
South bounding latitude	-35.351349
NSW Place Name	Kosciuszko Region
Vertical extent information	
Minimum value	-100
Maximum value	2228
Coordinate reference system	
Authority code	urn:ogc:def:cs:EPSG::
Code identifying the coordinate reference system	5711
Temporal extent	
Begin position	1989-01-07
End position	N/A
Dataset reference date	
Resource maintenance	
Maintenance and update frequency	Not planned
Contact info	
Contact position	Data Broker
Organisation name	NSW Department of Climate Change, Energy, the Environment and Water
Telephone number	131555
Email address	data.broker@environment.nsw.gov.au
Web address	https://www.nsw.gov.au/departments-and-agencies/dcceew
Responsible party role	pointOfContact

Lineage

Individual fire events are processed then mosaicked into a region wide layer for each fire year in the record.

Limitations on public access

Responsible party

Contact position Data Broker

Organisation name NSW Department of Climate Change, Energy, the Environment and Water

Telephone number 131555

Email address <u>data.broker@environment.nsw.gov.au</u>

Web address https://www.nsw.gov.au/departments-and-agencies/dcceew

Responsible party role pointOfContact

Metadata point of contact

Contact position Data Broker

Organisation name NSW Department of Climate Change, Energy, the Environment and Water

Telephone number 131555

Email address <u>data.broker@environment.nsw.gov.au</u>

Web address https://www.nsw.gov.au/departments-and-agencies/dcceew

Responsible party role pointOfContact

Metadata date 2024-02-26T13:33:48.353982

Metadata language