Title	Historical Fire Extent and Severity Mapping (FESM) - Royal-Heathcote Region	
Alternative title(s)	FESM - Blue Mtns	
Abstract	Fire severity is a metric of the loss of biomass caused by fire. In collaboration with the NSW Rural Fire Service, DPE Remote Sensing & Regulatory Mapping team has developed a semi-automated approach to mapping fire extent and severity through a machine learning framework based on satellite imagery.	
	The method uses standardised classes to allow comparison of different fires across the landscape. The FESM severity classes include: unburnt, low severity (burnt understory, unburnt canopy), moderate severity (partial canopy scorch), high severity (complete canopy scorch, partial canopy consumption), extreme (full canopy consumption).	
	Here we provide historical severity mapping for the Royal-Heathcote region from 1989/90 to 2015/16, which is based on Landsat satellite imagery. From 2016/17 to the current fire year, this region is covered in the statewide FESM data, which is based on Sentinel 2 satellite imagery.	
Resource locator		
Data Quality Statement	Name: Data Quality Statement	
	Protocol: WWW:DOWNLOAD-1.0-httpdownload	
	Description:	
	Data quality statement for Historical Fire Extent and Severity Mapping (FESM) - Blue Mountains Region	
	Function: download	
Royal Heathcote	Name: Royal Heathcote Area of Interest shapefile	
Area of Interest shapefile	Protocol: WWW:DOWNLOAD-1.0-httpdownload	
	Description:	
	Shapefile for the Royal Heathcote area of interest	
	Function: download	
<u>Historical FESM -</u>	Name: Historical FESM - Royal Heathcote - Wildfire - 1989-90 to 2015-16	
Royal Heathcote - Wildfire - 1989-90 to 2015-16	Protocol: WWW:DOWNLOAD-1.0-httpdownload	
	Description:	
	Historical FESM mapping for the Royal Heathcote region of wildfires from 1989-90 to 2015-16. See the FESM statewide dataset for coverage of this region from 2016-17 onwards.	
	Function: download	
Historical FESM - Royal Heathcote - Hazard Reductions - 1989-90 to 2015- 16	Name: Historical FESM - Royal Heathcote - Hazard Reductions - 1989-90 to 2015-16	
	Protocol: WWW:DOWNLOAD-1.0-httpdownload	
	Description:	
	Historical FESM mapping for the Royal Heathcote region of hazard reduction burns from 1989-90 to 2015-16.	
	Function: download	
FESM method publication	Name: FESM method publication	
	Protocol: WWW:DOWNLOAD-1.0-httpdownload	
	Description:	
	Remote Sensing of Environment Journal Article titled 'A remote sensing approach to mapping fire severity in south-eastern Australia using sentinel 2 and random forest' published in April 2020.	

satellites Description: Remote Sensing Journal Article title 'Comparing Fire Extent and Severity Mapping between Sentinel 2 and Landsat 8 Satellite Sensors' Function: download Unique resource identifier Code fd2ba4a7-4079-4439-b07e-30fcc7d59426 Presentation Image digital form Edition FESMv3 Dataset **English** language Metadata standard Name ISO 19115 Edition 2016 **Dataset URI** https://datasets.seed.nsw.gov.au/dataset/fd2ba4a7-4079-4439-b07e-30fcc7d59426 **Purpose** fire management planning and reporting, landscape and fire ecology research Status Completed **Spatial** representationgrid type Spatial reference system Code identifying the spatial 4283 reference system Spatial 30 m resolution Topic category

Name: FESM method publication - comparison of satellites

Protocol: WWW:DOWNLOAD-1.0-http--download

Function: download

FESM method publication -

comparison of

Keyword set			
keyword value	HAZARDS-Fire		
	ECOLOGY-Landscape		
	ECOLOGY-Habitat		
	VEGETATION		
Originating controlled vocabulary			
Title	ANZLIC Search Words		
Reference date	2008-05-16		
Geographic location			
West bounding longitude	150.952148		
East bounding longitude	151.160889		
North bounding latitude	-34.184163		
South bounding latitude	-34.002202		
NSW Place Name	Royal-Heathcote Region		
Vertical extent information			
Minimum value	-100		
Maximum value	2228		
Coordinate reference system			
Authority code	urn:ogc:def:cs:EPSG::		
Code identifying the coordinate reference system	5711		
Temporal extent			
Begin position	1989-01-07		
End position	N/A		
Dataset reference date			
Resource maintenance			
Maintenance and update frequency	Not planned		
Contact info			
Contact position	Data Broker		
Organisation name	NSW Department of Climate Change, Energy, the Environment and Water		
Telephone number	131555		
Email address	data.broker@environment.nsw.gov.au		
Web address	https://www.nsw.gov.au/departments-and-agencies/dcceew		
Responsible party role	pointOfContact		

Lineage

Individual fire events are processed then mosaicked into a region wide layer for each fire year in the record.

Limitations on public access

Responsible party

Contact position Data Broker

Organisation name NSW Department of Climate Change, Energy, the Environment and Water

Telephone number 131555

Email address <u>data.broker@environment.nsw.gov.au</u>

Web address https://www.nsw.gov.au/departments-and-agencies/dcceew

Responsible party role pointOfContact

Metadata point of contact

Contact position Data Broker

Organisation name NSW Department of Climate Change, Energy, the Environment and Water

Telephone number 131555

Email address <u>data.broker@environment.nsw.gov.au</u>

Web address https://www.nsw.gov.au/departments-and-agencies/dcceew

Responsible party role pointOfContact

Metadata date 2024-02-26T13:07:03.724948

Metadata language