

<b>Title</b>	Kosciuszko National Park Resorts Vegetation Perisher 2003 VIS_ID 4840
<b>Alternative title(s)</b>	KosciuszkoResortsPerisher_E_4840
<b>Abstract</b>	<p>Vegetation of Perisher, Kosciuszko Resorts Vegetation Assessment 2003.</p> <p>Associated Report: "Kosciuszko Resorts Vegetation Assessment", Ecology Australia 2003</p> <p>Fieldwork was carried out on 19-29 March 2002. A random sampling strategy was employed using the recent air photographs as a guide to the range of vegetation types present. Sampling points were chosen to represent variation in the vegetation observed in the field. Quadrat sizes were as follows: * 25 m2: bogs, herbfields and grasslands * 100 m2: heaths and woodland.</p> <p>A total of 216 quadrats were sampled. The following number of quadrats were sampled at the respective resorts: Thredbo 72 Perisher 54 Charlottes Pass 48 Bullocks Flat 14 Mt Selwyn 28 An additional 40 quadrats, previously surveyed at Thredbo in 2000 (J. Miles unpubl. data), were also analysed with the data set. In each quadrat all vascular plant species observed were recorded and assigned a visually assessed cover/abundance value from the modified Braun-Blanquet scale (Gullan 1978).</p> <p>Vegetation mapping was based on Air Photo Interpretation (API) of 2002 1:8000 air photos, field checking and interpretation of the quadrat data.</p> <p>VIS_ID 4840</p>
<b>Resource locator</b>	
<a href="#">Data Quality Statement</a>	<p>Name: Data Quality Statement</p> <p>Protocol: WWW:DOWNLOAD-1.0-http--download</p> <p>Description:</p> <p>Data quality statement for Kosciuszko National Park Resorts Vegetation Perisher 2003 VIS_ID 4840</p> <p>Function: download</p>
<a href="#">Download package</a>	<p>Name: Download package</p> <p>Protocol: WWW:DOWNLOAD-1.0-http--download</p> <p>Description:</p> <p>Data &amp; documents</p> <p>Function: download</p>
<b>Unique resource identifier</b>	
<b>Code</b>	e14f4813-cc34-4ca0-a7f6-9e9def976a03
<b>Presentation form</b>	Map digital
<b>Edition</b>	1
<b>Dataset language</b>	English
<b>Metadata standard</b>	
<b>Name</b>	ISO 19115
<b>Edition</b>	2016
<b>Dataset URI</b>	<a href="https://datasets.seed.nsw.gov.au/dataset/e14f4813-cc34-4ca0-a7f6-9e9def976a03">https://datasets.seed.nsw.gov.au/dataset/e14f4813-cc34-4ca0-a7f6-9e9def976a03</a>

<b>Purpose</b>	Park and fire management
<b>Status</b>	Completed
<b>Spatial representation</b>	
Type	vector
Geometric Object Type	surface
Geometric Object Count	2892
<b>Spatial reference system</b>	
Code identifying the spatial reference system	4283
<b>Spatial resolution</b>	100 m
<b>Topic category</b>	

<b>Keyword set</b>	
keyword value	VEGETATION
<b>Originating controlled vocabulary</b>	
Title	ANZLIC Search Words
Reference date	2008-05-16
<b>Geographic location</b>	
West bounding longitude	148.360062
East bounding longitude	148.444519
North bounding latitude	-36.42073
South bounding latitude	-36.352739
NSW Place Name	Perisher
<b>Vertical extent information</b>	
Minimum value	-100
Maximum value	2228
<b>Coordinate reference system</b>	
Authority code	urn:ogc:def:cs:EPSG::
Code identifying the coordinate reference system	5711
<b>Temporal extent</b>	
Begin position	2003-01-01
End position	N/A
<b>Dataset reference date</b>	
<b>Resource maintenance</b>	
Maintenance and update frequency	Unknown
<b>Contact info</b>	
Contact position	Data Broker
Organisation name	NSW Department of Climate Change, Energy, the Environment and Water
Telephone number	131555
Email address	<a href="mailto:data.broker@environment.nsw.gov.au">data.broker@environment.nsw.gov.au</a>
Web address	<a href="https://www.nsw.gov.au/departments-and-agencies/dcceew">https://www.nsw.gov.au/departments-and-agencies/dcceew</a>
Responsible party role	pointOfContact

## Lineage

Fieldwork was carried out on 19-29 March 2002. A random sampling strategy was employed using the recent air photographs as a guide to the range of vegetation types present. Sampling points were chosen to represent variation in the vegetation observed in the field. Quadrat sizes were as follows: \* 25 m2: bogs, herbfields and grasslands \* 100 m2: heaths and woodland.

A total of 216 quadrats were sampled. The following number of quadrats were sampled at the respective resorts: Thredbo 72 Perisher 54 Charlottes Pass 48 Bullocks Flat 14 Mt Selwyn 28 An additional 40 quadrats, previously surveyed at Thredbo in 2000 (J. Miles unpubl. data), were also analysed with the data set. In each quadrat all vascular plant species observed were recorded and assigned a visually assessed cover/abundance value from the modified Braun-Blanquet scale (Gullan 1978).

Vegetation mapping was based on Air Photo Interpretation (API) of 2002 1:8000 air photos, field checking and interpretation of the quadrat data.

## Limitations on public access

## Responsible party

Contact position	Data Broker
Organisation name	NSW Department of Climate Change, Energy, the Environment and Water
Telephone number	131555
Email address	<a href="mailto:data.broker@environment.nsw.gov.au">data.broker@environment.nsw.gov.au</a>
Web address	<a href="https://www.nsw.gov.au/departments-and-agencies/dcceew">https://www.nsw.gov.au/departments-and-agencies/dcceew</a>
Responsible party role	pointOfContact

## Metadata point of contact

Contact position	Data Broker
Organisation name	NSW Department of Climate Change, Energy, the Environment and Water
Telephone number	131555
Email address	<a href="mailto:data.broker@environment.nsw.gov.au">data.broker@environment.nsw.gov.au</a>
Web address	<a href="https://www.nsw.gov.au/departments-and-agencies/dcceew">https://www.nsw.gov.au/departments-and-agencies/dcceew</a>
Responsible party role	pointOfContact

**Metadata date** 2024-02-26T13:40:44.327575

**Metadata language**