

| | |
|---|---|
| Title | Marine LiDAR classified point cloud data (LAS) |
| Alternative title(s) | Coastal marine topographic and bathymetric data classified point cloud data |
| Abstract | <p>Remotely sensed topographic (elevation) and bathymetric (depth) information were acquired for the NSW coast (Point Danger to Cape Howe) and southern Queensland (Palm Beach to Point Danger) using Airborne LiDAR Bathymetry (ALB - a combination of Light Detection And Ranging (LiDAR) and Laser Airborne Depth Sounding (LADS) sensors) during July - December 2018. Data were acquired by Fugro Pty Ltd on behalf of NSW Office of Environment and Heritage using a Riegl VQ-820-G ALB (LiDAR) and Fugro LADS High-Definition sensors aboard sub-contracted Corporate Air Cessna C441 (VH-VEH). Funding was provided through the NSW Coastal Reforms package. The objective of the project was to provide high-resolution data better than 3-5 m spaced soundings (0.5 m spot spacing terrestrial; 3.4 m spot spacing marine) from the mean high-water mark to ~200m inland, and from the shore, seaward (LADS - bathymetry) to the point of laser extinction (~20-40m water depth depending on in-water conditions). Positioning data were collected on the ellipsoid ITRF 2014 GRS80 in UTM Z56 and post-processed using local base stations (CORSnet NSW) to provide a Post Processed Kinematic GNSS solution for final aircraft trajectory before being applied to all data. The data provided here are classified LAS format point clouds, subset into 1) 1 x 1 km tiles of classified height (combined topo-bathymetry) and 2) areas of reflectivity (strength of signal return) data, both in GDA 2020 (horizontal datum; Zones 55 or 56) at Australian Height Datum (vertical datum) with vertical precision to International Hydrographic Order (IHO) 1B. Point cloud data tied to GRS80 ellipsoid is also available. Reflectivity data is further subset into 1) LADS and 2) Riegel sensors. Data covers an area of 6862 km² and is subdivided into 48 sub-datasets, the extents of which are generally defined in their alongshore extent by the boundaries of NSW Secondary Sediment Compartments (Geosciences Australia). Each data file is prefixed with the compartment name and year of collection. Data provided are available on the ELVIS website (Geosciences Australia - https://elevation.fsdf.org.au). Metadata, data quality statements and geographical data coverage ArcGIS shapefiles are available via SEED https://www.seed.nsw.gov.au/edphome/home.aspx, as are links to the datasets. The data are intended to inform coastal and marine management and should not be used for navigation without additional processing.</p> |
| Resource locator | |
| Data Quality Statement | <p>Name: Data Quality Statement</p> <p>Protocol: WWW:DOWNLOAD-1.0-http--download</p> <p>Description:</p> <p>Data quality statement for Marine LiDAR classified point cloud data (LAS)</p> <p>Function: download</p> |
| Marine LiDAR classified point cloud data (LAS) Coverage | <p>Name: Marine LiDAR classified point cloud data (LAS) Coverage</p> <p>Protocol: WWW:DOWNLOAD-1.0-http--download</p> <p>Description:</p> <p>ESRI Coverage shape file for all Marine LiDAR classified point cloud data</p> <p>Function: download</p> |
| ELVIS Application | <p>Name: ELVIS Application</p> <p>Protocol: WWW:DOWNLOAD-1.0-http--download</p> <p>Description:</p> <p>Data can be downloaded from the ELVIS application</p> <p>Function: download</p> |
| Unique resource identifier | |
| Code | f3c2d3eb-f9b2-4193-be20-28e9156d50a6 |
| Presentation | Multimedia digital |

| | |
|---|---|
| form | |
| Edition | v1.1 |
| Dataset language | English |
| Metadata standard | |
| Name | ISO 19115 |
| Edition | 2016 |
| Dataset URI | https://datasets.seed.nsw.gov.au/dataset/f3c2d3eb-f9b2-4193-be20-28e9156d50a6 |
| Purpose | Baseline data for coastal hazard management by state and local governments for Coastal Reforms |
| Status | Completed |
| Spatial representation | |
| Type | vector |
| Spatial reference system | |
| Code identifying the spatial reference system | 4283 |
| Spatial resolution | 5 m |
| Additional information source | Extent along Australia's east coast if from Palm Beach in southeast Queensland to Cape Howe at the NSW/Victorian border from a minimum of 200m inland from the shore to point of LADS extinction (nominally 20-40m water depth) offshore. |
| Topic category | |
| Keyword set | |
| keyword value | <p>GEOSCIENCES-Geomorphology</p> <p>MARINE-Coasts</p> <p>MARINE-Geology-and-Geophysics</p> <p>MARINE-Reefs</p> <p>LAND-Topography</p> <p>PHOTOGRAPHY-AND-IMAGERY-Remote-Sensing</p> |
| Originating controlled vocabulary | |
| Title | ANZLIC Search Words |
| Reference date | 2008-05-16 |
| Geographic location | |
| West bounding longitude | 149.414062 |
| East bounding longitude | 154.423828 |

| | |
|--|--|
| North bounding latitude | -37.801968 |
| South bounding latitude | -27.465385 |
| NSW Place Name | NSW coast |
| Vertical extent information | |
| Minimum value | -100 |
| Maximum value | 2228 |
| Coordinate reference system | |
| Authority code | urn:ogc:def:cs:EPSG:: |
| Code identifying the coordinate reference system | 5711 |
| Temporal extent | |
| Begin position | 2018-01-07 |
| End position | N/A |
| Dataset reference date | |
| Resource maintenance | |
| Maintenance and update frequency | Unknown |
| Contact info | |
| Contact position | Data Broker |
| Organisation name | NSW Department of Climate Change, Energy, the Environment and Water |
| Telephone number | 131555 |
| Email address | data.broker@environment.nsw.gov.au |
| Web address | https://www.nsw.gov.au/departments-and-agencies/dcceew |
| Responsible party role | pointOfContact |
| Lineage | Generally, the 2019 dataset is a 'one-off' collection but future collections may be added a later date, funding permitting. Some earlier LiDAR/LADS surveys collected 2008 and 2011 are also to be provided. Additional details on the systems, aircraft, specifications of sensors used, auxiliary data, processing, classification etc are provided in Report of Survey and associated reports. The final Report of Survey can be accessed via the OEI IAR, Geosciences Australia ELVIS website https://elevation.fsdf.org.au or upon request. System installation occurred at Goulburn airport 3-10 July 2018 followed by verification flights with surveys commencing from Ballina airport 11 July 2018. A total of 93 flights were conducted from 11 July 2018 to 20 October 2018 followed by demobilisation 21-24 October 2018 in Goulburn. Data are processed by Fugro (Adelaide) and provided to OEI Jan-Jun 2019. |
| Limitations on public access | |

Scope dataset

DQ Completeness Commission

Effective date 2019-06-26

Explanation This survey (2018) contains some data from southern Queensland. Additional datasets from earlier NSW Marine LiDAR surveys (2008, 2011) will be made available to compliment this data set.

DQ Absolute External Positional Accuracy

Effective date 2019-06-20

Explanation 1m

Responsible party

Contact position Data Broker

Organisation name NSW Department of Climate Change, Energy, the Environment and Water

Telephone number 131555

Email address data.broker@environment.nsw.gov.au

Web address <https://www.nsw.gov.au/departments-and-agencies/dcceew>

Responsible party role pointOfContact

Metadata point of contact

Contact position Data Broker

Organisation name NSW Department of Climate Change, Energy, the Environment and Water

Telephone number 131555

Email address data.broker@environment.nsw.gov.au

Web address <https://www.nsw.gov.au/departments-and-agencies/dcceew>

Responsible party role pointOfContact

Metadata date 2024-02-26T13:26:49.425963

Metadata language