Title	Koala Sightings – BioNet
Abstract	Koala (Phascolarctos cinereus) species sightings in NSW. Sightings are derived from the BioNet Species Sightings oData Web service, via an ETL process which generates geometries for use in the spatial web services listed below. Records are updated daily.
	Supporting information: Koala - Threatened Species Profile https://www.environment.nsw.gov.au/threatenedspeciesapp/profile.aspx?id=10616
Resource locato	or
Show on SEED Web Map	Name: Show on SEED Web Map
	Protocol: WWW:DOWNLOAD-1.0-httpdownload
	Description:
	Display dataset on SEED's map
	Function: download
<u>Data Quality</u> <u>Statement</u>	Name: Data Quality Statement
	Protocol: WWW:DOWNLOAD-1.0-httpdownload
	Description:
	Data quality statement for Koala Sightings - Bionet
	Function: download
<u>WMS</u>	Name: WMS
<u>e</u>	Protocol: WWW:DOWNLOAD-1.0-httpdownload
	Description:
	Web Map Service (WMS).
	Function: download
WFS	Name: WFS
WIS	Protocol: WWW:DOWNLOAD-1.0-httpdownload
	Description:
	Web Feature Service (WFS).
	Function: download
DEOT O - · · · · ·	
REST Service	Name: REST Service
	Protocol: WWW:DOWNLOAD-1.0-httpdownload
	Description: ArcGIS REST Services Directory – provides a variety of interfaces for web browsers, GIS users and developers, to view maps
	Function: download
Halana aa c	
Unique resource	
Code	921057e1-b959-470a-8a69-ed883203db7c
Presentation form	Document digital
Edition	Not known
Dataset language	English

Metadata standard				
Name	ISO 19115			
Edition	2016			
Dataset URI	https://datasets.seed.nsw.gov.au/dataset/921057e1-b959-470a-8a69-ed883203db7c			
Purpose	Data from the BioNet Species Sightings data collection are used extensively in environmental planning in NSW and scientific research. For assessment and planning purposes, in most cases, a BioNet search will provide some indicative information only. As with any observational data collection, this collection is subject to biases in where observations have been made. The absence of an observation record at a site does not constitute evidence that a species is absent form the site. Presence of species at a site are best determined through thorough and well-structured field surveys.			
Status	On going			
Spatial representation type	None			
Spatial reference system				
Code identifying the spatial reference system	4283			
Equivalent scale	1:None			
Topic category				
Keyword set				
keyword value	ECOLOG	Y-Community		
	ECOLOG	Y-Ecosystem		
	FAUNA			
	FAUNA-E	exotic		
	FAUNA-N			
		/ertebrates		
	FLORA	vetic		
	FLORA-E FLORA-N			
		FION-Floristic		
Originating controll				
Title	ANZLIC:	Search Words		
Reference date	2008-05	-16		
Geographic loca	tion			
West bounding long	itude 140.694	7		
East bounding longi	tude 153.768	7		
North bounding lati	tude -37.6423	3		

South bounding	g latitude	-27.9675	
Vertical exte	ent information		
Minimum value	2	-100	
Maximum value		2228	
Coordinate refe	erence system		
Authority code	e	urn:ogc:def:cs:EPSG::	
Code identifying the coordinate reference system		5711	
Temporal ex	tent		
Begin position		1770-05-28	
End position		N/A	
Dataset refe	rence date		
Resource ma	aintenance		
Maintenance and update frequency		Continual	
Contact info			
Contact position		Data Broker	
Organisation name		NSW Department of Climate Change, Energy, the Environment and Water	
Telephone number		131555	
Email address		data.broker@environment.nsw.gov.au	
Web address		https://www.nsw.gov.au/departments-and-agencies/dcceew	
Responsible p	party role	pointOfContact	
Limitations on	public access		
Scope	dataset		
DQ Completene	ess Commission		
Effective date	2009-01-10		
Explanation	Sightings of fauna and flora are constantly submitted for entry into the BioNet-Atlas, and so the dataset will never be complete.;; It should be noted that the dataset may contain more than one sighting of the same individual organism. For example, a single plant at a specific location, may have been reported by several different observers, at different dates, or with slightly differing coordinates (depending on the method used to capture coordinates). Records will only be flagged as potential duplicates if they are for the same species, on the same date, with geographic coordinates within 100m of each other. These potential duplicates are then queried, to ensure that duplicate records by the same observer are not re-entered.;; It is therefore important that fields such as date and location accuracy be taken into account when assessing individual BioNet-Atlas records.		
DQ Completene	ess Omission		
Effective date	2009-01-10		
Funlanati	The DieNet Checies sis	whitings data collection was never intended to be represented to	

The BioNet Species sightings data collection was never intended to be representative of all species present at a particular location at a given time, and as such can never be

Explanation

into the system, the Fauna Survey and/or Flora Survey modules can be interrogated for information about species presence/absence. However for other areas, BioNet Species sightings are only indicative of species presence (not absence). Whilst BioNet is the single largest database for flora and fauna sightings in NSW, it is not the only one. For more complete information it is recommended that Bionet sightings and survey records be supplemented with datasets from other Agencies and organisations, literature and onground surveys.

DQ Conceptual Consistency

Effective date

1900-01-01

Explanation

All records entered into the Atlas require a minimum of fields to be populated (species name, date of observation, location description, coordinates, accuracy of coordinates, Datum, observer name and observation type). Records will not be accepted in the database if compulsory fields are missing, or if values are not valid.; ; Records undergo a further automatic validation check based on species distribution. If a record of a species occurs outside of its 'known accepted distribution', the record will be saved to a quarantine section of the database to be reviewed by OEH staff.

DQ Topological Consistency

Effective date

1900-01-01

DQ Absolute External Positional Accuracy

Effective date

1900-01-01

Explanation

All records are assigned an accuracy (in metres) to indicate how accurately the coordinates represent the true location of the sighting. The accuracy can vary from 10m to occasionally as much as 100,000m, depending on the method used to capture the coordinates (GPS, topographic map, street directory or internet). ; ; Locations are also manually checked prior to import to ensure the location description matches the coordinates and Datum.; ; Supply of BioNet-Atlas data is governed by OEH's Sensitive Species Data Policy ;

http://www.environment.nsw.gov.au/policiesandguidelines/SensitiveSpeciesPolicy.htm.; The locations of records for most species are made available at 'as-held' accuracy (i.e. with geographic coordinates as held in the BioNet-Atlas database). Some threatened species, however, are very sensitive to disturbance and exploitation. If precise locational information about these species was made public, it could increase the possibility of harm or loss. For species categorised as "sensitive", some or all locational information will not be disclosed depending on the species' status under the Policy (refer to the Sensitive Species Data policy for full details).

DQ Non Quantitative Attribute Correctness

Effective date

1900-01-01

Explanation

Records cannot be entered into Atlas if compulsory fields are missing, or if values are not valid. Both manual and automated attribute checks are undertaken before records are entered.; ; Species names are checked to ensure the Scientific and Common names match. Each record is assigned a 'Source' (i.e. whether a species record is a standard sighting, a voucher specimen, a specimen held in a museum or herbarium collection, a probable identification from survey methods Anabat or hair tube analysis, or a questionable record). Locations are manually verified onscreen and all other fields are checked to ensure values are in the required format (for fields that have domains, these are as listed in the Atlas Field Data Book). Any fields with missing or potential errors are queried with the observer prior to import.; ; While care is taken to ensure details of all records are entered as accurately as possible, given the range of data sources and levels of experience from observes, and variation in recording methods, it is not possible to guarantee that all species sightings are correct.

Responsible party

Contact position Data Broker

Organisation name NSW Department of Climate Change, Energy, the Environment and Water

Telephone number 131555

Email address <u>data.broker@environment.nsw.gov.au</u>

Web address https://www.nsw.gov.au/departments-and-agencies/dcceew

Responsible party role pointOfContact

Metadata point of contact

Contact position Data Broker

Organisation name NSW Department of Climate Change, Energy, the Environment and Water

Telephone number 131555

Email address <u>data.broker@environment.nsw.gov.au</u>

Web address https://www.nsw.gov.au/departments-and-agencies/dcceew

Responsible party role pointOfContact

Metadata date 2024-02-26T13:04:03.961155

Metadata language