

<b>Title</b>	NSW Marine Habitats 2002
<b>Abstract</b>	An environmental classification developed in conjunction with the NSW Marine Parks Authority Research Committee. The purpose of the mapping was for use in assessments to identify potential locations for marine protected areas in NSW. For more information see: Breen D.A. and R.P. Avery. (2002). Broad-scale biodiversity assessment of the Manning Shelf marine bioregion. Draft final report for the NSW Marine Parks Authority. Copies of the report may be borrowed from the library: Environment Australia, GPO Box 787, Canberra ACT 2601 Australia This coverage is intended for used in regional level marine conservation assessment. It was prepared using very low cost techniques (ie. unrectified API) and should not be relied upon for navigation purposes. THIS DATA IS NOT SUITABLE FOR NAVIGATION PURPOSES. This represents an historic dataset providing transparency on the 2002 marine park systematic planning process. This product is one of three related datasets used in the assessment process: "NSW Ocean Ecosystems 2002", "NSW Estuarine Ecosystems 2002" & "NSW Marine Habitats 2002"
<b>Resource locator</b>	
<a href="#">Data Quality Statement</a>	Name: Data Quality Statement Protocol: WWW:DOWNLOAD-1.0-http--download Description: DQS for Marine Habitats 2002 Function: download
<a href="#">Marine MarineHabitats2002</a>	Name: Marine MarineHabitats2002 Protocol: WWW:DOWNLOAD-1.0-http--download Description: Data package for Marine Habitats 2002 Function: download
<b>Unique resource identifier</b>	
Code	4e2214df-df3b-4d7c-b263-a41d8b001af5
<b>Presentation form</b>	Document digital
<b>Edition</b>	1
<b>Dataset language</b>	English
<b>Metadata standard</b>	
Name	ISO 19115
Edition	2016
<b>Dataset URI</b>	<a href="https://datasets.seed.nsw.gov.au/dataset/4e2214df-df3b-4d7c-b263-a41d8b001af5">https://datasets.seed.nsw.gov.au/dataset/4e2214df-df3b-4d7c-b263-a41d8b001af5</a>
<b>Purpose</b>	Strategic spatial assessment - marine
<b>Status</b>	Completed
<b>Spatial representation</b>	
Type	vector

## Spatial reference system

Code identifying the spatial reference system 4283

Equivalent scale 1:None

## Topic category

### Keyword set

keyword value

- ECOLOGY-Habitat
- FISHERIES
- FISHERIES-Marine
- MARINE
- MARINE-Biology
- MARINE-Coasts
- MARINE-Reefs
- OCEANOGRAPHY

### Originating controlled vocabulary

Title ANZLIC Search Words

Reference date 2008-05-16

## Geographic location

West bounding longitude 149.6941

East bounding longitude 153.7915

North bounding latitude -37.636

South bounding latitude -28.0631

## Vertical extent information

Minimum value -100

Maximum value 2228

### Coordinate reference system

Authority code urn:ogc:def:cs:EPSG::

Code identifying the coordinate reference system 5711

## Temporal extent

Begin position 2002-05-30

End position N/A

## Dataset reference date

## Resource maintenance

Maintenance and update frequency Unknown

## Contact info

Contact position	Data Broker
Organisation name	NSW Department of Climate Change, Energy, the Environment and Water
Telephone number	131555
Email address	<a href="mailto:data.broker@environment.nsw.gov.au">data.broker@environment.nsw.gov.au</a>
Web address	<a href="https://www.nsw.gov.au/departments-and-agencies/dcceew">https://www.nsw.gov.au/departments-and-agencies/dcceew</a>
Responsible party role	pointOfContact

## Lineage

Mapping; The environmental classification adopted for the study, contains classes for each of the five major estuary ecosystems, the four ocean ecosystems classified by depth, and the nine habitat surrogates (mangrove, seagrass, saltmarsh, subtidal sediment, beach, intertidal rocky shore, subtidal reef and island). ; ; NSW Estuary Ecosystems; Coastal waterbodies from the NSW Waterways GIS coast coverage (1:25,000 scale) were classified into five main groups according to a classification of NSW estuaries (Roy et al. 2001) which identified five main types of coastal waterbody based on coastal geology, entrance type and tidal exchange. Four sedimentary zones (marine tidal delta, central mud basin, fluvial delta and riverine channel/alluvial plain) were also identified within each waterbody. These groups and zones reflect characteristic ecosystems responding to variation in morphology, hydrology and sediments. Limitations: The large-scale, whole estuary units do not address finer scale variation among tributaries and sedimentary zones.; ; NSW Ocean Ecosystems; The continental shelf was partitioned into four depth zones 0-20 m, 20-60 m and 60-200 m with a fourth zone (>200 m) extending beyond the outer edge of the continental shelf (Table 7a and 9). Zones were mapped directly from the Waterway Authority's GIS layer of depth contours (derived from Australian Hydrographic Office data). The number and location of zones is not based on any defined ecological boundary, but rather reflects general patterns in the cross shelf variation in oceanography, sediments and biological diversity. Limitations;; Using depth alone to predict ocean biodiversity is an oversimplification of a complex environment. ; ; NSW Marine Habitats; Seagrass, Mangrove and Saltmarsh Habitats: Distributions of seagrass, mangrove and saltmarsh habitats were estimated from a GIS coverage digitised by the NPWS from maps of estuarine vegetation produced by West et al. (1985). ; Intertidal Rocky Shore Habitats: A linear GIS coverage of intertidal rocky shore was prepared by defining lengths of rocky shore along the AMBIS (Australian Land Information Group's Australian Marine Baseline Information System) high water coastline using 1:25,000 topographic maps provided by the NSW Land and Property Information Centre (LPI). Areas of intertidal rocky shore were mapped as the difference between high and low water AMBIS coastlines and 1:10,000 scale aerial photographs provided by DLWC. ; Intertidal Beach Habitats: A linear GIS coverage of the length of individual ocean beaches was derived by splitting the AMBIS high water coastline according to digitised 1: 25,000 topographic maps (provided by LPI). Individual beaches were then classified according to Short (1993). Areas of intertidal beaches were mapped as the difference between the AMBIS high and low water GIS ocean coastlines and individual beaches identified using 1:10,000 scale aerial photographs (provided by DLWC).; Island Habitats: Islands and rocks were mapped using the AMBIS GIS low water coastline and emergent rocks. An 100 m buffer was extended around the low water mark to represent the pelagic zone around islands and rocks. These areas were categorised into those within 1 km of the shore and those greater than 1 km offshore.; Subtidal Reef Habitats: Two separate methods were used to define prominent reef habitats. Two additional reef mapping methods were investigated, but were not fully implemented in the assessment. Shallow near-shore reef systems were mapped from existing unrectified 1:10,000 - 1:25,000 scale aerial photographs, held by the NSW Department of Land and Water Conservation. Reef boundaries and intervening sediment patches were mapped to a depth of 10-20 m depending on sea conditions at the time the photographs were taken. This coverage of mostly inshore reefs was supplemented (particularly in deeper offshore waters) with an additional GIS map coverage derived from the commercially available nautical chart series (Australian Hydrographic Service, 1:150,000 scale charts). ; Subtidal Sediment Habitats: Nearshore subtidal sediment was mapped using aerial photo interpretation as described for the mapping of nearshore subtidal reef systems. However no attempt was made to classify sediment types within the nearshore zone or to delineate the remaining areas of soft sediment beyond the nearshore zone or in estuaries as little digital information was available.

Limitations on public access

Scope	dataset
DQ Completeness Commission	
Effective date	2001-01-01
DQ Completeness Omission	
Effective date	2001-01-01
DQ Conceptual Consistency	
Effective date	1900-01-01
DQ Topological Consistency	
Effective date	1900-01-01
DQ Absolute External Positional Accuracy	
Effective date	1900-01-01
DQ Non Quantitative Attribute Correctness	
Effective date	1900-01-01
<b>Responsible party</b>	
Contact position	Data Broker
Organisation name	NSW Department of Climate Change, Energy, the Environment and Water
Telephone number	131555
Email address	<a href="mailto:data.broker@environment.nsw.gov.au">data.broker@environment.nsw.gov.au</a>
Web address	<a href="https://www.nsw.gov.au/departments-and-agencies/dcceew">https://www.nsw.gov.au/departments-and-agencies/dcceew</a>
Responsible party role	pointOfContact
<b>Metadata point of contact</b>	
Contact position	Data Broker
Organisation name	NSW Department of Climate Change, Energy, the Environment and Water
Telephone number	131555
Email address	<a href="mailto:data.broker@environment.nsw.gov.au">data.broker@environment.nsw.gov.au</a>
Web address	<a href="https://www.nsw.gov.au/departments-and-agencies/dcceew">https://www.nsw.gov.au/departments-and-agencies/dcceew</a>
Responsible party role	pointOfContact
<b>Metadata date</b>	2024-02-26T12:57:21.559906
<b>Metadata language</b>	