Title	NSW Sheep-Wheat Belt Box-Gum Woodland Biodiversity Survey Sites 2004-2007 . VIS_ID 4091
Alternative title(s)	SheepWheatBeltNSW_EEC_E_4091
Abstract	This spatial layer contains summary flora and fauna biodiversity survey data derived from project specific surveys conducted for the Biodiversity Conservation in the Sheep Wheat Belt of NSW Project between November 2004 and February 2007. Included in the data are Endangered Ecological Communities (EECs) and threatened flora and fauna species. The primary focus of this component of the project was to survey "off reserve" distribution of Box-Gum Woodland (White Box-Yellow Box - Blakely's Red Gum) EEC within the Murray, Murrumbidgee, Lachlan, Central West, Hunter-Central Rivers, Namoi and Border Rivers-Gwydir Catchment Management Authority areas. The project area extended from the Victorian to Queensland borders and across the Western Slopes and western parts of the Tablelands of NSW. Consistent with project objectives the majority (502) of the 722 survey sites were in remnant patches of Box-Gum Woodland. The remaining sites were in other vegetation types, mostly remnant patches identified as Inland Grey Box Woodland EEC and Box-Gum Woodland ecotone. Several sites were in patches identified as Fuzzy Box Woodland EEC and McKies Stringybark / Blackbutt Open Forest EEC. All but around 30 of the 722 sites were located on private land and public land outside formal state conservation reserves. Attributes listed show distribution; survey method; date; tenure; estimated patch area; vegetation community type, strata dominant species; habitat structure; plant and bird species richness and threatened species number; qualitative condition and conservation value; biophysical and administrative boundaries. To meet requirements for landholder privacy site attributes are assigned to Skm x 5km (2500ha) polygons instead of points. Polygons containing survey sites are only displayed. Survey site attributes are assigned to Skm x 5km (2500ha) polygons instead of points. Polygons containing survey sites are only displayed. Survey site attributes are derived from a separate accompanying spreadsheet database extracted from a larger rela
Resource locator	
Data Quality Statement	Name: Data Quality Statement
	Protocol: WWW:DOWNLOAD-1.0-httpdownload
	Description: DQS - NSW Sheep-Wheat Belt Box-Gum Woodland Biodiversity Survey
	Sites 2004-2007 . VIS_ID 4091
	Function: download
Vegetation_SheepWheatBeltNSW_EEC_4091	Name: Vegetation_SheepWheatBeltNSW_EEC_4091
	Protocol: WWW:DOWNLOAD-1.0-httpdownload
	Description: File for Download
	Function: download
Unique resource identifier	
Code	09d2bbff-6344-47a6-9a0f-392f933bf474
Presentation form	Map digital
Edition	Not known
Dataset language	English
Metadata standard	
Name	ISO 19115
Edition	2016

 $\underline{https://datasets.seed.nsw.gov.au/dataset/09d2bbff-6344-47a6-9a0f-\underline{392f933bf474}}$

Dataset URI

Purpose	Yellow Box - Blakely's Red Gum) EEC within the Murray, Murrumbidgee, Lachlan, Central West, Hunter-Central Rivers, Namoi and Border Rivers-Gwydir Catchment Management Authority areas.
Status	Completed
Spatial representation	
Туре	vector
Spatial reference system	
Code identifying the spatial reference system	4283
Equivalent scale	1:None
Additional information source	DECC (2007). The Native Vegetation of the Southern Wheat-Sheep Belt. NSW Department of Environment and Climate Change. June 2007.
Topic category	

Keyword set	
keyword value	vegetation
Originating controlled vocabulary	
Title	ANZLIC Search Words
Reference date	2008-05-16
Geographic location	
West bounding longitude	145.99485
East bounding longitude	152.04074
North bounding latitude	-36.101869
South bounding latitude	-29.07452
Vertical extent information	
Minimum value	-100
Maximum value	2228
Coordinate reference system	
Authority code	urn:ogc:def:cs:EPSG::
Code identifying the coordinate reference system	5711
Temporal extent	
Begin position	2004-01-01
End position	N/A
Dataset reference date	
Resource maintenance	
Maintenance and update frequency	Unknown
Contact info	
Contact position	Data Broker
Organisation name	NSW Department of Climate Change, Energy, the Environment and Water
Telephone number	131555
Email address	data.broker@environment.nsw.gov.au
Web address	https://www.nsw.gov.au/departments-and-agencies/dcceew
Responsible party role	pointOfContact

Lineage

Source data is derived from project specific biodiversity surveys conducted between November 2004 and February 2007. The great majority of surveys were conducted in the November-December periods of 2004, 2005 and 2006 survey seasons. It was necessary to survey a small number of sites in January-February 2006 and 2007 to ensure inclusion in the project time frame. The great majority sites were surveyed by qualified contractors. DECC Queanbeyan staff surveyed the remainder the survey contractors were unable to complete. Data was manually recorded onto custom designed proforma survey sheets. This was then collated and checked for errors, omissions and consistency before being manually entered into electronic spreadsheets by a data entry operator. This data was then further checked by the coordinating project officer prior to being exported into a custom designed relational database. Flora species and fauna species common names, scientific names, legal status, native/non-native status have been standardised to the Atlas of NSW Wildlife CAPS Plant Taxa and Atlas of NSW Wildlife CAVS Vertebrate Taxa listings sourced from the NSW National Parks & Wildlife website (www.nationalparks.nsw.gov.au). In a few instances species common names have been modified or added to copies of these listings built into the survey database. Where it has been necessary to add species names there are no assigned CAPS, CAVS and PATN codes within the relevant survey database tables.

fields in the spatial layer attributes table indicate no relevant data has been recorded or supplied for that field. Fields have also been left blank in place of "No" where a Yes/No answer is only required.

- 1. SiteID relates to each survey site on a property for a given Property ID. To assign each survey site a unique and anonymous identifier each property has been given an ID number which has then been combined with the suffix A, B, C etc added for each subsequent site surveyed on the property. For example if two sites were surveyed on property number 12 the resulting SiteID numbers would be 12A and 12B.
- 2. Propty_ID unique identifier for each property. A landholder with more than one property will generally have a separate ID for each property. It is possible that there may be a few cases where adjoining properties of different tenure have mistakenly been given the same Property ID.
- 3. Count this indicates the total number of survey sites occuring within the same 5km x 5km polygon.
- 4. UTM_Zone Is the Universal Transverse Mercator map projection zone. The project study area straddles UTM Zones 55 and 56 over its extent from the Victorian border to the Queensland border.
- 5. East_AMG, Nthg_AMG Australian Map Grid site coordinate GPS (Global Positioning System) Easting and Northing readings georeferenced to Australian Geodetic Datum 1966 (AGD66). Typically represent corner or centre of the plant survey 20m x 50m quadrat (if carried out). For the 2004 surveys these coordinates relate to the centre of the plant survey quadrat. In most cases these coordinates also relate to the approximate centre of the 2ha, 20minute formal bird survey area.
- 6. Survey Lists the survey method used. For example, SWBP2006 stands for the project specific Sheep-Wheat Belt Project surveys conducted in the 2006 survey season. The survey methods have employed the same approach from year to year with successive refinements and addition of further survey parameters (mainly in 2005 for site abiotic features and vegetation structure). See the accompanying copy of each year's survey proforma for more details of the survey methods and parameters. The 2004 results have been standardised to the later year survey categories in those instances where category values differed.
- 7. Year, Month, Day date of survey.
- 8. Tenure this relates to property ownership and /or management and is described in more detail below. 8.1 Private - Formally Protected encompasses properties mainly with DECC Voluntary Conservation Agreements (VCAs) but also includes one with a Property Vegetation Plan (PVP) and several belonging to private conservation trusts. 8.2 Private - Not Formally Protected is freehold/leasehold land with no formalised protection agreement or protection status. 8.2 Public -Local Govt properties are mainly Council owned and/or managed cemeteries, reserves, parks, commons with a couple of wetlands. 8.3 Public - NSW Dept of Lands properties are mainly those surrounding large lakes and dams on the NWS and CWS plus a leased out crown reserve on the SWS 8.4 Public - C'wlth, NSW DPI and NSW DNR is land belonging to research institutions although the land itself is not necessarily used for agricultural or other research. 8.5 Public - Protected properties are mainly recently declared formal NSW Conservation Reserves for which there is little or no data on their Box-Gum Woodland vegetation. Also included are five cemeteries on the SWS with DEC VCAs, a Nature Conservation Trust property and an Australian native plant arboretum. 8.6 Public - RLPB properties are almost exclusively Travelling Stock Reserves (TSRs) with a few Travelling Stock Routes included as well as best can be determined. The lack of availability of a suitable GIS polygon layer for RLPB land often made it difficult readily delineate a TSR from a Route or other type of land tenure and difficult to delineate property size. 8.7 Public - Unknown includes roadside easements and corridors, reserves and commons held in trust, and other crown land for which the relevant public owner and/or managing authority has yet to be determined.
- 9. CMN Memb sites surveyed on properties of landholders currently listed as members of the Grassy Box Woodland Conservation Management Network have a "Yes" in this field. Public landholder organisations, are generally not listed here as CMN members even though in many cases they have individual employees that are listed as members of the CMN. The CMN has ongoing communication with many public landholder organisations, particularly Local Government Authorities and Rural Lands Protection Boards, whose properties constitute the majority of surveyed public land sites.
- 10. Patch_ha Estimated patch area in hectares of vegetation of the same type and condition in which the 20m x 50m veg survey quadrat is located. In many cases the patch extends onto adjoining properties. In cases where there has been more than one site surveyed on a particular property and the estimated patch area is only given for one site (typically site A) it is reasonable for users to assume that all sites surveyed on that property are in what is essentially one contiguous patch of similar vegetation type. In some cases the patch areas of intergrading vegetation types have been too difficult to readily estimate.

The area estimates are derived from a variety of sources including the surveyor's own estimate, listed property sizes (eg. for TSRs), measurements off satellite imagery (SPOT 5 XI 22 Jan 05 GDA94) for most of the 2004 survey areas, and DECC Queanbeyan's held cadastral map shape files. Area estimate accuracy will vary, with more accurate sizes for smaller areas, typically those less than 20ha. In most cases the area estimates represent a minimum size. For example, in some areas there has been extensive clearing of the tree overstorey and shrub layers, leaving an adjoining and sometimes much larger area of native groundlayer within a scattered paddock tree matrix. Where "0" is shown, no estimate of patch area has been provided. In most cases it is likely the patch area is significantly greater than 2ha, as it was too difficult for the surveyor to estimate on-ground, especially if intergrading into a much larger patch e.g. adjoining a National Park or part of an extensive travelling stock route with adjoining wooded reserves.

Veg_type - This is primarily based on the characteristic dominant Overstorey (>4m high), Shrublayer (0.5m - 4m high) and Groundlayer (<0.5m high) plant species identified at each site. Reference to survey quadrat plant species listings was also made where considered necessary. Those sites classified as belonging to the White Box / Yellow Box / Blakely's Red Gum Endangered Ecological Community (aka Box-Gum Woodland) meet the criteria under DECC's interpretation of the relevant

http://www.nationalparks.nsw.gov.au/npws.nsf/content/list+of+scientific+committee+determinations).

It is reasonable to assume that most of these sites also meet the Commonwealth's EEC definition as per the decision tree in the EPBC Act policy statement May 2006. However there are likely to be some that do not meet the Commonwealth criteria. For example, in some cases, particularly for sites surveyed during the 2006 season on the SWS and CWS and the western parts of the associated Tablelands, drought conditions combined with overgrazing made it difficult to determine the compostion of groundlayer plant species. This made it difficult to determine whether or not these sites met the Commonwealth criterion of at least 50% perennial native vegetation cover. The default position taken in these cases was to assume that it is EEC in line with a "Precautionary Principle" approach.

Other EECs identified are based on the relevant NSW Scientific Committee Determinations listed at the above website. EEC Ecotone sites are those where the characteristic dominant tree species of the EEC occur as sub-dominants. EEC White Box, Yellow Box or Blakely's Red Gum trees as overstorey sub-dominants and Western Grey Box or Coastal Grey Box as sub-dominants in the Nandewar Bioregion.

- Overstry1, Overstry2, Overstry3 The dominant three overstorey tree species (or less if applicable) in descending order of cover abundance. In some cases there may be more than three tree species present.
- 2. Shrub_1, Shrub_2, Shrub_3 The dominant three shrublayer plant species (or less if applicable) in descending order of cover abundance. In some cases there may be more than three species present.
- 3. Ground_1, Ground_2, Ground_3 The dominant three groundlayer plant species (or less if applicable) in descending order of cover abundance.
- 4. Veg_Spp Total number of plant species identified in a 20m x 50m quadrat selected to representatively sample the patch vegetation type. It is usually located near the centre of the 2ha bird survey area (see Bird_Spp below). Groundlayer species are surveyed in 20m x 20m quadrat nested within the larger quadrat.
- 5. Ntv_Spp Total number of native plant species identified in the 20m x 50m survey.
- 6. Veg_TSpp Combined number of threatened plant species (as per NSW Threatened Species Conservation Act 1995) identified in the 20m x 50m quadrat and in opportunistic observations. Opportunistic sightings are those outside the quadrat. They are usually located in the immediate area, however, on occasions they may be in another area of the property (e.g. when travelling to and from site) or close by on an adjacent property.
- 7. Bird_Spp number of different bird species (or species richness) seen or heard to be in a 20 minute walk through a 2ha site (nominally 200m x 100m). Includes birds hawking or flying over.
- 8. NTV_Birds Number of native bird species (or species richness) seen or heard heard to be in the 20 minute, 2ha survey.
- 9. Fauna_TS Number of threatened bird species identified in the formal (2ha, 20minute) survey plus the number of opportunistic sightings of threatened fauna (bird & non-bird) species as per NSW Threatened Species Conservation Act 1995. Opportunistic sightings includes birds and other fauna observed either directly or indirectly (nests, scats, tracks, feathers, fur, bones etc) in the 2 ha area outside the formal 20 minute survey period or those observed at any time outside the 2 ha bird survey area. It also applies to other fauna (non-bird) observed in the 2ha area during the formal 20 minute bird survey.
- 10. HB_Trees number of hollow bearing trees in 20m x 50m quadrat. Corresponds to a designated category text on the survey form and in the survey database.
- 11. Tree_Regn number of regenerating overstorey trees in 20m x 50m quadrat. Generally =10cm diameter occurring within the 20m x 50m quadrat. Corresponds to a designated category text on the survey form and in the survey database.
- 12. Rocks Number of rock outcrops and/or large boulders within 20m x 50m quadrat. Corresponds to a designated category text on the survey form and in the survey database.
- 13. Litter % projective cover of dead on-ground vegetation (leaves, dead grass, twigs, bark, small branches etc) within 20m x 50m quadrat. Corresponds to a designated category text on the survey form and in the survey database.
- 14. Condition, Flora_CV, Fauna_CV, Oall_CV These are qualitative assessments of patch condition and conservation value in most cases directly provided by the surveyors themselves or inferred from their comments and survey data. They are subjective and will vary depending on surveyor bias and interpretation, nevertheless they provide a useful guide until a more quantitative and systematic assessment can be made. For the 2004 surveys the surveyors were not specifically asked to provide these qualitative assessments. In 2005 surveyors were asked to provide assessments of conservation value (Low, Medium, High) in the General Comments section of the survey form. Not all surveyors did this. In 2004 and 2005 surveyors often only commented on condition and conservation value for sites that were of particularly good quality. As a result these assessments for 2004 and 2005 surveys tend to be biased toward higher condition and conservation sites. In view of the 2005 survey results the 2006 survey form was modified to specifically ask surveyors to select from relevant scales provided for assessment of site condition, vegetation conservation value and fauna habitat conservation value. This approach proved successful for most of the 2006 surveys where surveyors used the correct (ie. final) version of the survey proforma. Oall_CV is the overall qualitative assessment of conservation value for a site based on the higher of the Flora_CV and Fauna_CV ratings where assessed.
- 15. Bioregion IBRA v6 bioregion in which the site is located. See Interim Biogeographic Regionalisation for Australia (IBRA), Version 6 URL: http://www.deh.gov.au/erin/

- which the site is located.
- 17. CMA Catchment Management Authority boundary in which the site is located. See Catchment Management Boards of NSW http://canri.nsw.gov.au/nrdd/records/ANZNS0359000838.html
- LGA Local Government Area boundary in which the site is located. See NEW SOUTH WALES DCDB LOCAL GOVERNMENT AREA BOUNDARIES http://canri.nsw.gov.au/nrdd/records/ANZNS0404000748.html
- RLPB Rural Lands Protection Board boundary in which the site is located. See NEW SOUTH WALES DCDB RURAL LANDS DISTRICT BOUNDARIES http://canri.nsw.gov.au/nrdd/records/ANZNS0404000753.html

Limitations on public access		
Scope	dataset	
DQ Completeness Commission		
Effective date	1901-01-01	
DQ Completeness Omission		
Effective date	1901-01-01	
DQ Conceptual Consistency		
Effective date	1901-01-01	
DQ Topological Consistency		
Effective date	1901-01-01	
DQ Absolute External Positional Accuracy		
Effective date	1901-01-01	
DQ Non Quantitative Attribute Correctness		
Effective date	1901-01-01	
Responsible party		

Responsible party

Contact position Data Broker

Organisation name NSW Department of Climate Change, Energy, the Environment and Water

Telephone number 131555

Email address data.broker@environment.nsw.gov.au

Web address https://www.nsw.gov.au/departments-and-agencies/dcceew

Responsible party role pointOfContact

Metadata point of contact

Contact position Data Broker

Organisation name NSW Department of Climate Change, Energy, the Environment and Water

Telephone number 131555

Email address <u>data.broker@environment.nsw.gov.au</u>

Web address https://www.nsw.gov.au/departments-and-agencies/dcceew

Responsible party role pointOfContact

Metadata date 2024-02-26T12:47:46.652787

Metadata language