Title Water Modelling-Palaeo Stochastic Climate Data-Greater Sydney-Silo Station (xi of xi) ID 070101-070330

Abstract

The palaeo stochastic climate data include 10,000 replicates of 130-yr daily data sets of rainfall and potential evapotranspiration generated using observed data sets without and with combined palaeo climate data. This work has been undertaken by researchers at the University of Newcastle and used in modelling for Greater Sydney Water Strategy.

This particular Asset (070101-070330) houses Silo Station IDs:

- 070105 MOUNT FAIRY (MERIGAN)
- 070119 BIG HILL (GLEN DUSK)
- 070124 RICHLANDS (BOUVERIE)
- 070131 WOODHOUSELEE (LEESTON)
- 070135 MUMMELL (KANGAROOBIE)
- 070143 BRAYTON (LONGREACH)
- 070144 TARALGA (CIRCLE C)
- 070147 GOULBURN (HILLWOOD)
- 070183 WINDELLIMA (BUDJONG)
- 070261 JERRABATTGULLA (GILSTON)
- 070263 GOULBURN TAFE
- 070330 GOULBURN AIRPORT

Note: If you would like to ask a question, make any suggestions, or tell us how you are using this dataset, please visit the <u>NSW Water Hub which has an online forum</u> you can join.

Resource locator

<u>Data Quality Statement</u> Name: Data Quality Statement

Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Data quality statement

Function: download

070105_MOUNT FAIRY (MERIGAN)_FA056 Name: 070105_MOUNT FAIRY (MERIGAN)_FAO56

Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Paleo-Stochastic FAO56 data for 3250 replicates for 070105 (MOUNT FAIRY (MERIGAN)); each with 130 year daily timeseries; including metadata and quality assurance pdfs.

Function: download

070105_MOUNT FAIRY (MERIGAN)_Mwet

Name: 070105_MOUNT FAIRY (MERIGAN)_Mwet

Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Paleo-Stochastic Mwet data for 3250 replicates for 070105 (MOUNT FAIRY (MERIGAN)); each with 130 year daily timeseries; including metadata and

quality assurance pdfs.

Function: download

070105_MOUNT FAIRY (MERIGAN)_Rain Name: 070105_MOUNT FAIRY (MERIGAN)_Rain

Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Paleo-Stochastic Rain data for 3250 replicates for 070105 (MOUNT FAIRY (MERIGAN)); each with 130 year daily timeseries; including metadata and

quality assurance pdfs.

Function: download

Name: 070119 BIG HILL (GLEN DUSK) Rain

070119_BIG HILL (GLEN DUSK)_Rain Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Paleo-Stochastic Rain data for 3250 replicates for 070119 (BIG HILL (GLEN DUSK)); each with 130 year daily timeseries; including metadata and quality

assurance pdfs.

Function: download

070124_RICHLANDS (BOUVERIE)_Rain Name: 070124_RICHLANDS (BOUVERIE)_Rain

Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Paleo-Stochastic Rain data for 3250 replicates for 070124 (RICHLANDS (BOUVERIE)); each with 130 year daily timeseries; including metadata and

quality assurance pdfs.

Function: download

<u>070131_W00DH0USELEE</u> (<u>LEESTON</u>)_Rain

Name: 070131_WOODHOUSELEE (LEESTON)_Rain

Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Paleo-Stochastic Rain data for 3250 replicates for 070131 (WOODHOUSELEE (LEESTON)); each with 130 year daily timeseries; including metadata and

quality assurance pdfs.

Function: download

070135_MUMMELL (KANGAROOBIE)_Rain Name: 070135 MUMMELL (KANGAROOBIE) Rain

Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Paleo-Stochastic Rain data for 3250 replicates for 070135 (MUMMELL (KANGAROOBIE)); each with 130 year daily timeseries; including metadata

and quality assurance pdfs.

Function: download

070143_BRAYTON (LONGREACH)_Rain Name: 070143_BRAYTON (LONGREACH)_Rain

Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Paleo-Stochastic Rain data for 3250 replicates for 070143 (BRAYTON (LONGREACH)); each with 130 year daily timeseries; including metadata and

quality assurance pdfs.

Function: download

070143_BRAYTON (LONGREACH)_Mwet Name: 070143_BRAYTON (LONGREACH)_Mwet

Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Paleo-Stochastic Mwet data for 3250 replicates for 070143 (BRAYTON (LONGREACH)); each with 130 year daily timeseries; including metadata and

quality assurance pdfs.

Function: download

070143_BRAYTON (LONGREACH)_Mwet Name: 070143 BRAYTON (LONGREACH) Mwet

Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Paleo-Stochastic Mwet data for 3250 replicates for 070143 (BRAYTON (LONGREACH)); each with 130 year daily timeseries; including metadata and

quality assurance pdfs.

Function: download

070143_BRAYTON (LONGREACH)_Rain Name: 070143 BRAYTON (LONGREACH) Rain

Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Paleo-Stochastic Rain data for 3250 replicates for 070143 (BRAYTON (LONGREACH)); each with 130 year daily timeseries; including metadata and

quality assurance pdfs.

Function: download

070144_TARALGA (CIRCLE C)_Rain

Name: 070144_TARALGA (CIRCLE C)_Rain

Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Paleo-Stochastic Rain data for 3250 replicates for 070144 (TARALGA (CIRCLE C)); each with 130 year daily timeseries; including metadata and

quality assurance pdfs.

Function: download

070147_GOULBURN (HILLWOOD)_Rain Name: 070147 GOULBURN (HILLWOOD) Rain

Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Paleo-Stochastic Rain data for 3250 replicates for 070147 (GOULBURN (HILLWOOD)); each with 130 year daily timeseries; including metadata and

quality assurance pdfs.

Function: download

070147_GOULBURN (HILLWOOD)_FAO56 Name: 070147_GOULBURN (HILLWOOD)_FAO56

Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Paleo-Stochastic FAO56 data for 3250 replicates for 070147 (GOULBURN (HILLWOOD)); each with 130 year daily timeseries; including metadata and

quality assurance pdfs.

Function: download

070147_GOULBURN (HILLWOOD)_Mwet

Name: 070147_GOULBURN (HILLWOOD)_Mwet

Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Paleo-Stochastic Mwet data for 3250 replicates for 070147 (GOULBURN (HILLWOOD)); each with 130 year daily timeseries; including metadata and

quality assurance pdfs.

Function: download

070183_WINDELLIMA (BUDJONG)_FA056 Name: 070183_WINDELLIMA (BUDJONG)_FAO56

Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Paleo-Stochastic FAO56 data for 3250 replicates for 070183 (WINDELLIMA (BUDJONG)); each with 130 year daily timeseries; including metadata and

quality assurance pdfs.

Function: download

070183_WINDELLIMA (BUDJONG)_Rain Name: 070183_WINDELLIMA (BUDJONG)_Rain

Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

(BUDJONG)); each with 130 year daily timeseries; including metadata and

quality assurance pdfs.

Function: download

070183_WINDELLIMA (BUDJONG)_Mwet Name: 070183_WINDELLIMA (BUDJONG)_Mwet

Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Paleo-Stochastic Mwet data for 3250 replicates for 070183 (WINDELLIMA (BUDJONG)); each with 130 year daily timeseries; including metadata and

quality assurance pdfs.

Function: download

070261_JERRABATTGULLA (GILSTON)_Rain Name: 070261_JERRABATTGULLA (GILSTON)_Rain

Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Paleo-Stochastic Rain data for 3250 replicates for 070261

(JERRABATTGULLA (GILSTON)); each with 130 year daily timeseries;

including metadata and quality assurance pdfs.

Function: download

<u>070261_JERRABATTGULLA</u> (GILSTON)_Mlake Name: 070261 JERRABATTGULLA (GILSTON) Mlake

Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Paleo-Stochastic Mlake data for 3250 replicates for 070261 (JERRABATTGULLA (GILSTON)); each with 130 year daily timeseries;

including metadata and quality assurance pdfs.

Function: download

070261_JERRABATTGULLA (GILSTON)_Rain Name: 070261 JERRABATTGULLA (GILSTON) Rain

Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Paleo-Stochastic Rain data for 3250 replicates for 070261

(JERRABATTGULLA (GILSTON)); each with 130 year daily timeseries;

including metadata and quality assurance pdfs.

Function: download

070261_JERRABATTGULLA (GILSTON)_Mwet

Name: 070261_JERRABATTGULLA (GILSTON)_Mwet

Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Paleo-Stochastic Mwet data for 3250 replicates for 070261

(JERRABATTGULLA (GILSTON)); each with 130 year daily timeseries;

including metadata and quality assurance pdfs.

Function: download

070263_GOULBURN TAFE_Rain Name: 070263 GOULBURN TAFE Rain

Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Paleo-Stochastic Rain data for 3250 replicates for 070263 (GOULBURN TAFE); each with 130 year daily timeseries; including metadata and quality

assurance pdfs.

Function: download

<u>070263_GOULBURN</u>

TAFE_Mwet

Name: 070263 GOULBURN TAFE Mwet

Protocol: WWW:DOWNLOAD-1.0-http--download Description: Paleo-Stochastic Mwet data for 3250 replicates for 070263 (GOULBURN TAFE); each with 130 year daily timeseries; including metadata and quality assurance pdfs. Function: download Name: 070263_GOULBURN TAFE_Rain 070263_GOULBURN TAFE_Rain Protocol: WWW:DOWNLOAD-1.0-http--download Description: Paleo-Stochastic Rain data for 3250 replicates for 070263 (GOULBURN TAFE); each with 130 year daily timeseries; including metadata and quality assurance pdfs. Function: download Name: 070263 GOULBURN TAFE Mwet 070263_GOULBURN TAFE_Mwet Protocol: WWW:DOWNLOAD-1.0-http--download Description: Paleo-Stochastic Mwet data for 3250 replicates for 070263 (GOULBURN TAFE); each with 130 year daily timeseries; including metadata and quality assurance pdfs. Function: download Name: 070330 GOULBURN AIRPORT AWS Rain 070330_GOULBURN AIRPORT AWS_Rain Protocol: WWW:DOWNLOAD-1.0-http--download Description: Paleo-Stochastic Rain data for 3250 replicates for 070330 (GOULBURN AIRPORT AWS); each with 130 year daily timeseries; including metadata and quality assurance pdfs. Function: download Map View for data Name: Map View for data download download Protocol: WWW:DOWNLOAD-1.0-http--download Description: All the stations in Greater Sydney area are shown in this State level map (ESRI Rest Map Service Format), and the data can be downloaded by clicking each station. Function: download Unique resource identifier Code 1c439442-b274-4e29-abea-e20d8bcaa502 Presentation form Table digital Edition 1.0 Dataset language **English** Metadata standard Name ISO 19115 Edition 2016 https://datasets.seed.nsw.gov.au/dataset/1c439442-b274-4e29-abea-**Dataset URI**

| Purpose | Climate data is a fundamental input dataset required for water modelling. The stochastic climate data is 10,000 years of daily data representing the variability of the long-term climate at a location generated. The primary purpose of the stochastic climate data is to be used as input data for water modelling to analysis water related outcomes of river basins under long-term climate and inform the development of water policies, planning and strategies for water management. Climate data is a fundamental input dataset required for water modelling. Rainfall and potential evapotranspiration are the two main types of climate required for the types of water models used for water planning. Temperature data is used in some of the water models (in particular for snowmelt modelling, water demand modelling). Climate data in daily temporal resolution is used as input data to water models of varying types, purposes, and complexity. The water models transform this input data to produce a range of water related modelled data. Stochastic climate data has been generated based on observed climate dataset combined with paleo-climatic information. The observed data is downloaded from the SILO data-base of Australian climate data (https://www.longpaddock.qld.gov.au/silo/), which has climate data from 1889-present based on instrumental records at thousands of climate stations. The stochastic data are 10,000-year daily data sets of each climate data at different climate stations. |
|---|--|
| Status | On going |
| Spatial representation type | textTable |
| Spatial reference system | |
| Code identifying the spatial reference system | 4283 |
| Spatial resolution | 1 km |
| Additional information source | Raw data series commenced 01/01/0000 to 31/12/9999 |
| Topic category | |
| | |

<u>e20d8bcaa502</u>

| Keyword set | |
|--|---|
| keyword value | WATER |
| Originating controlled vocabulary | |
| Title | ANZLIC Search Words |
| Reference date | 2008-05-16 |
| Geographic location | |
| West bounding longitude | 150.2 |
| East bounding longitude | 151.5 |
| North bounding latitude | -34.23 |
| South bounding latitude | -33.35 |
| NSW Place Name | Greater Sydney |
| Vertical extent information | |
| Minimum value | -100 |
| Maximum value | 2228 |
| Coordinate reference system | |
| Authority code | urn:ogc:def:cs:EPSG:: |
| Code identifying the coordinate reference system | 5711 |
| Temporal extent | |
| Begin position | 0001-01-01 |
| End position | N/A |
| Dataset reference date | |
| Resource maintenance | |
| Maintenance and update frequency | As needed |
| Contact info | |
| Contact position | Data Broker |
| Organisation name | NSW Department of Climate Change, Energy, the Environment and Water |
| Telephone number | 131555 |
| Email address | data.broker@environment.nsw.gov.au |
| Web address | https://www.nsw.gov.au/departments-and-agencies/dcceew |
| Responsible party role | pointOfContact |

Lineage

The stochastic data are 10,000-year daily data sets at different climate stations, which were generated using observed or derived data sets combined with palaeo-logical climate data information. This work was undertaken by researchers at University of Adelaide and University of Newcastle and used in Regional Water Strategies. The stochastic data were generated region by region with spatial and temporal consistency of the data between regions maintained. Stochastic datasets were generated using the observed climate data and paleo-climatic information. The observed and derived data is downloaded from the SILO data-base of Australian climate data (https://www.longpaddock.qld.gov.au/silo/), which has climate data from 1889-present.

Limitations on public access

Responsible party

Contact position Data Broker

Organisation name NSW Department of Climate Change, Energy, the Environment and Water

Telephone number 131555

Email address <u>data.broker@environment.nsw.gov.au</u>

Web address https://www.nsw.gov.au/departments-and-agencies/dcceew

Responsible party role pointOfContact

Metadata point of contact

Contact position Data Broker

Organisation name NSW Department of Climate Change, Energy, the Environment and Water

Telephone number 131555

Email address <u>data.broker@environment.nsw.gov.au</u>

Web address https://www.nsw.gov.au/departments-and-agencies/dcceew

Responsible party role pointOfContact

Metadata date 2024-08-20T21:36:45.776327

Metadata language