

<b>Title</b>	Water Modelling-Palaeo Stochastic Climate Data
<b>Abstract</b>	<p>The fundamental input data of work undertaken by Water Modelling Team is climate data in the form of daily rainfall and potential evapotranspiration. This data is input to water models of varying types, purposes, and complexity. The water models transform this input data to produce a range of water related modelled data.</p> <p>The stochastic data are 10,000-year daily data sets of rainfall and potential evapotranspiration generated using observed data sets combined with Palaeo climate data. This work has been undertaken by researchers at University of Adelaide and University of Newcastle and used in modelling for Regional Water Strategies.</p> <p>Stochastic Climate data is available to download at the Region level from the Related Datasets section below.</p>
<b>Resource locator</b>	
<a href="#">Show on SEED Web Map</a>	<p>Name: Show on SEED Web Map</p> <p>Protocol: WWW:DOWNLOAD-1.0-http--download</p> <p>Description:</p> <p>Display dataset on SEED's map</p> <p>Function: download</p>
<a href="#">Data Quality Statement</a>	<p>Name: Data Quality Statement</p> <p>Protocol: WWW:DOWNLOAD-1.0-http--download</p> <p>Description:</p> <p>Data quality statement for Stochastic Climate Data</p> <p>Function: download</p>
<a href="#">Metadata Statement - Water Modelling - Palaeo Stochastic Climate Data</a>	<p>Name: Metadata Statement - Water Modelling - Palaeo Stochastic Climate Data</p> <p>Protocol: WWW:DOWNLOAD-1.0-http--download</p> <p>Description:</p> <p>Associated Metadata relevant to Water Modelling - Palaeo Stochastic Climate Data</p> <p>Function: download</p>
<a href="#">Map View for data download by regions</a>	<p>Name: Map View for data download by regions</p> <p>Protocol: WWW:DOWNLOAD-1.0-http--download</p> <p>Description:</p> <p>All the regions are shown in this map (ESRI Rest Map Service Format), and the data can be downloaded by clicking each region area/polygon.</p> <p>Function: download</p>
<a href="#">Map View for Silo Stations</a>	<p>Name: Map View for Silo Stations</p> <p>Protocol: WWW:DOWNLOAD-1.0-http--download</p> <p>Description:</p> <p>All the silo stations are shown in this map for the reference (ESRI Rest Map Service Format).</p> <p>Function: download</p>
<b>Unique resource identifier</b>	
<b>Code</b>	d12ae8b1-c47d-4e33-8ae2-87586ea92a75
<b>Presentation form</b>	Table digital

<b>Edition</b>	1.0
<b>Dataset language</b>	English
<b>Metadata standard</b>	
<b>Name</b>	ISO 19115
<b>Edition</b>	2016
<b>Dataset URI</b>	<a href="https://datasets.seed.nsw.gov.au/dataset/d12ae8b1-c47d-4e33-8ae2-87586ea92a75">https://datasets.seed.nsw.gov.au/dataset/d12ae8b1-c47d-4e33-8ae2-87586ea92a75</a>
<b>Purpose</b>	<p>Climate data is a fundamental input dataset required for water modelling. The stochastic climate data is 10,000 years of daily data representing the variability of the long-term climate at a location generated. The primary purpose of the stochastic climate data is to be used as input data for water modelling to analysis water related outcomes of river basins under long-term climate and inform the development of water policies, planning and strategies for water management. Climate data is a fundamental input dataset required for water modelling. Rainfall and potential evapotranspiration are the two main types of climate required for the types of water models used for water planning. Temperature data is used in some of the water models (in particular for snowmelt modelling, water demand modelling). Climate data in daily temporal resolution is used as input data to water models of varying types, purposes, and complexity. The water models transform this input data to produce a range of water related modelled data. Stochastic climate data has been generated based on observed climate dataset combined with paleo-climatic information. The observed data is downloaded from the SILO data-base of Australian climate data (<a href="https://www.longpaddock.qld.gov.au/silo/">https://www.longpaddock.qld.gov.au/silo/</a>), which has climate data from 1889-present based on instrumental records at thousands of climate stations. The stochastic data are 10,000-year daily data sets of each climate data at different climate stations.</p>
<b>Status</b>	On going
<b>Spatial representation type</b>	textTable
<b>Spatial reference system</b>	
<b>Code identifying the spatial reference system</b>	4283
<b>Spatial resolution</b>	1 km
<b>Additional information source</b>	Raw data series commenced 01/01/0000 to 31/12/9999
<b>Topic category</b>	

<b>Keyword set</b>	
keyword value	WATER
<b>Originating controlled vocabulary</b>	
Title	ANZLIC Search Words
Reference date	2008-05-16
<b>Geographic location</b>	
West bounding longitude	141
East bounding longitude	154
North bounding latitude	-37.7
South bounding latitude	-28
NSW Place Name	NSW
<b>Vertical extent information</b>	
Minimum value	-100
Maximum value	2228
<b>Coordinate reference system</b>	
Authority code	urn:ogc:def:cs:EPSG::
Code identifying the coordinate reference system	5711
<b>Temporal extent</b>	
Begin position	0001-01-01
End position	N/A
<b>Dataset reference date</b>	
<b>Resource maintenance</b>	
Maintenance and update frequency	As needed
<b>Contact info</b>	
Contact position	Data Broker
Organisation name	NSW Department of Climate Change, Energy, the Environment and Water
Telephone number	131555
Email address	<a href="mailto:data.broker@environment.nsw.gov.au">data.broker@environment.nsw.gov.au</a>
Web address	<a href="https://www.nsw.gov.au/departments-and-agencies/dcceew">https://www.nsw.gov.au/departments-and-agencies/dcceew</a>
Responsible party role	pointOfContact

Lineage	The stochastic data are 10,000-year daily data sets at different climate stations, which were generated using observed or derived data sets combined with palaeo-logical climate data information. This work was undertaken by researchers at University of Adelaide and University of Newcastle and used in Regional Water Strategies. The stochastic data were generated region by region with spatial and temporal consistency of the data between regions maintained. Stochastic datasets were generated using the observed climate data and paleo-climatic information. The observed and derived data is downloaded from the SILO data-base of Australian climate data ( <a href="https://www.longpaddock.qld.gov.au/silo/">https://www.longpaddock.qld.gov.au/silo/</a> ), which has climate data from 1889-present.		
Limitations on public access			
Responsible party			
Contact position	Data Broker		
Organisation name	NSW Department of Climate Change, Energy, the Environment and Water		
Telephone number	131555		
Email address	<a href="mailto:data.broker@environment.nsw.gov.au">data.broker@environment.nsw.gov.au</a>		
Web address	<a href="https://www.nsw.gov.au/departments-and-agencies/dcceew">https://www.nsw.gov.au/departments-and-agencies/dcceew</a>		
Responsible party role	pointOfContact		
Metadata point of contact			
Contact position	Data Broker		
Organisation name	NSW Department of Climate Change, Energy, the Environment and Water		
Telephone number	131555		
Email address	<a href="mailto:data.broker@environment.nsw.gov.au">data.broker@environment.nsw.gov.au</a>		
Web address	<a href="https://www.nsw.gov.au/departments-and-agencies/dcceew">https://www.nsw.gov.au/departments-and-agencies/dcceew</a>		
Responsible party role	pointOfContact		
Metadata date	2024-09-17T00:05:45.658682		
Metadata language			