

## Title

Water Modelling-Stochastic Climate Data-Greater Sydney-Silo Station (x of xi)  
ID 070001-070100

## Abstract

The stochastic climate data include 10,000 replicates of 130-yr daily data sets of rainfall and potential evapotranspiration generated using observed data sets without and with combined climate data. This work has been undertaken by researchers at the University of Newcastle and used in modelling for Greater Sydney Water Strategy.

This particular Asset (070001-070100) houses Silo Station IDs:

- 070002 - BANNABY (HILLASMOUNT)
- 070012 - BUNGONIA (INVERARY PARK)
- 070016 - CAPTAINS FLAT (FOXLOW ST)
- 070036 - LAKE BATHURST (SOMERTON)
- 070040 - GOULBURN (CHERRYTON)
- 070057 - BRAIDWOOD (KRAWARREE)
- 070060 - LOWER BORO (CALDERWOOD)
- 070061 - MAJORS CREEK (THE OLD SCHOOL)
- 070063 - MARULAN (GEORGE ST)
- 070071 - GOULBURN (POMEROY)
- 070077 - GOULBURN (SPRINGFIELD)
- 070080 - TARALGA POST OFFICE

Note: If you would like to ask a question, make any suggestions, or tell us how you are using this dataset, please visit the [NSW Water Hub which has an online forum](#) you can join.

## Resource locator

### [Data Quality Statement](#)

Name: Data Quality Statement

Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Data quality statement

Function: download

### [070002\\_BANNABY \(HILLASMOUNT\)\\_FAO56](#)

Name: 070002\_BANNABY (HILLASMOUNT)\_FAO56

Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Stochastic FAO56 data for 3250 replicates for 070002 (BANNABY (HILLASMOUNT)); each with 130 year daily timeseries; including metadata and quality assurance pdfs.

Function: download

### [070002\\_BANNABY \(HILLASMOUNT\)\\_Mlake](#)

Name: 070002\_BANNABY (HILLASMOUNT)\_Mlake

Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Stochastic Mlake data for 3250 replicates for 070002 (BANNABY (HILLASMOUNT)); each with 130 year daily timeseries; including metadata and quality assurance pdfs.

Function: download

### [070002\\_BANNABY \(HILLASMOUNT\)\\_Mwet](#)

Name: 070002\_BANNABY (HILLASMOUNT)\_Mwet

Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Stochastic Mwet data for 3250 replicates for 070002 (BANNABY (HILLASMOUNT)); each with 130 year daily timeseries; including metadata and quality assurance pdfs.

Function: download

070002\_BANNABY  
(HILLASMOUNT)\_Rain

Name: 070002\_BANNABY (HILLASMOUNT)\_Rain  
Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Stochastic Rain data for 3250 replicates for 070002 (BANNABY (HILLASMOUNT)); each with 130 year daily timeseries; including metadata and quality assurance pdfs.

Function: download

070012\_BUNGNIA  
(INVERARY PARK)\_Rain

Name: 070012\_BUNGNIA (INVERARY PARK)\_Rain

Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Stochastic Rain data for 3250 replicates for 070012 (BUNGNIA (INVERARY PARK)); each with 130 year daily timeseries; including metadata and quality assurance pdfs.

Function: download

070012\_BUNGNIA  
(INVERARY  
PARK)\_Mwet

Name: 070012\_BUNGNIA (INVERARY PARK)\_Mwet

Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Stochastic Mwet data for 3250 replicates for 070012 (BUNGNIA (INVERARY PARK)); each with 130 year daily timeseries; including metadata and quality assurance pdfs.

Function: download

070016\_CAPTAINS  
FLAT (FOXLOW  
ST)\_Rain

Name: 070016\_CAPTAINS FLAT (FOXLOW ST)\_Rain

Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Stochastic Rain data for 3250 replicates for 070016 (CAPTAINS FLAT (FOXLOW ST)); each with 130 year daily timeseries; including metadata and quality assurance pdfs.

Function: download

070036\_LAKE  
BATHURST  
(SOMERTON)\_Rain

Name: 070036\_LAKE BATHURST (SOMERTON)\_Rain

Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Stochastic Rain data for 3250 replicates for 070036 (LAKE BATHURST (SOMERTON)); each with 130 year daily timeseries; including metadata and quality assurance pdfs.

Function: download

070036\_LAKE  
BATHURST  
(SOMERTON)\_Mwet

Name: 070036\_LAKE BATHURST (SOMERTON)\_Mwet

Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Stochastic Mwet data for 3250 replicates for 070036 (LAKE BATHURST (SOMERTON)); each with 130 year daily timeseries; including metadata and quality assurance pdfs.

Function: download

070040\_GOULBURN  
(CHERRYTON)\_Rain

Name: 070040\_GOULBURN (CHERRYTON)\_Rain

Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Stochastic Rain data for 3250 replicates for 070040 (GOULBURN (CHERRYTON)); each with 130 year daily timeseries; including metadata and quality assurance pdfs.

Function: download

[070057\\_BRAIDWOOD  
\(KRAWARREE\)\\_Rain](#)

Name: 070057\_BRAIDWOOD (KRAWARREE)\_Rain

Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Stochastic Rain data for 3250 replicates for 070057 (BRAIDWOOD (KRAWARREE)); each with 130 year daily timeseries; including metadata and quality assurance pdfs.

Function: download

[070057\\_BRAIDWOOD  
\(KRAWARREE\)\\_Mwet](#)

Name: 070057\_BRAIDWOOD (KRAWARREE)\_Mwet

Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Stochastic Mwet data for 3250 replicates for 070057 (BRAIDWOOD (KRAWARREE)); each with 130 year daily timeseries; including metadata and quality assurance pdfs.

Function: download

[070060\\_LOWER BORO  
\(CALDERWOOD\)\\_Rain](#)

Name: 070060\_LOWER BORO (CALDERWOOD)\_Rain

Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Stochastic Rain data for 3250 replicates for 070060 (LOWER BORO (CALDERWOOD)); each with 130 year daily timeseries; including metadata and quality assurance pdfs.

Function: download

[070061\\_MAJORS  
CREEK \(THE OLD  
SCHOOL\)\\_Rain](#)

Name: 070061\_MAJORS CREEK (THE OLD SCHOOL)\_Rain

Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Stochastic Rain data for 3250 replicates for 070061 (MAJORS CREEK (THE OLD SCHOOL)); each with 130 year daily timeseries; including metadata and quality assurance pdfs.

Function: download

[070063\\_MARULAN  
\(GEORGE ST\)\\_Rain](#)

Name: 070063\_MARULAN (GEORGE ST)\_Rain

Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Stochastic Rain data for 3250 replicates for 070063 (MARULAN (GEORGE ST)); each with 130 year daily timeseries; including metadata and quality assurance pdfs.

Function: download

[070071\\_GOULBURN  
\(POMEROY\)\\_FAO56](#)

Name: 070071\_GOULBURN (POMEROY)\_FAO56

Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Stochastic FAO56 data for 3250 replicates for 070071 (GOULBURN (POMEROY)); each with 130 year daily timeseries; including metadata and quality assurance pdfs.

Function: download

[070071\\_GOULBURN  
\(POMEROY\)\\_Rain](#)

Name: 070071\_GOULBURN (POMEROY)\_Rain

Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Stochastic Rain data for 3250 replicates for 070071 (GOULBURN (POMEROY)); each with 130 year daily timeseries; including metadata and quality assurance pdfs.

Function: download

[070071\\_GOULBURN \(POMEROY\)\\_Mlake](#)

Name: 070071\_GOULBURN (POMEROY)\_Mlake

Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Stochastic Mlake data for 3250 replicates for 070071 (GOULBURN (POMEROY)); each with 130 year daily timeseries; including metadata and quality assurance pdfs.

Function: download

[070071\\_GOULBURN \(POMEROY\)\\_Mwet](#)

Name: 070071\_GOULBURN (POMEROY)\_Mwet

Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Stochastic Mwet data for 3250 replicates for 070071 (GOULBURN (POMEROY)); each with 130 year daily timeseries; including metadata and quality assurance pdfs.

Function: download

[070077\\_GOULBURN \(SPRINGFIELD\)\\_Rain](#)

Name: 070077\_GOULBURN (SPRINGFIELD)\_Rain

Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Stochastic Rain data for 3250 replicates for 070077 (GOULBURN (SPRINGFIELD)); each with 130 year daily timeseries; including metadata and quality assurance pdfs.

Function: download

[070077\\_GOULBURN \(SPRINGFIELD\)\\_Mwet](#)

Name: 070077\_GOULBURN (SPRINGFIELD)\_Mwet

Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Stochastic Mwet data for 3250 replicates for 070077 (GOULBURN (SPRINGFIELD)); each with 130 year daily timeseries; including metadata and quality assurance pdfs.

Function: download

[070080\\_TARALGA POST OFFICE\\_Rain](#)

Name: 070080\_TARALGA POST OFFICE\_Rain

Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Stochastic Rain data for 3250 replicates for 070080 (TARALGA POST OFFICE); each with 130 year daily timeseries; including metadata and quality assurance pdfs.

Function: download

[Map View for data download](#)

Name: Map View for data download

Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

All the stations in Greater Sydney area are shown in this State level map (ESRI Rest Map Service Format), and the data can be downloaded by clicking each station.

Function: download

Unique resource identifier

Code	e57d068d-cfa0-4d56-9146-f62f0395dc1a
Presentation form	Table digital
Edition	1.0
Dataset language	English
<b>Metadata standard</b>	
Name	ISO 19115
Edition	2016
Dataset URI	<a href="https://datasets.seed.nsw.gov.au/dataset/e57d068d-cfa0-4d56-9146-f62f0395dc1a">https://datasets.seed.nsw.gov.au/dataset/e57d068d-cfa0-4d56-9146-f62f0395dc1a</a>
Purpose	<p>Climate data is a fundamental input dataset required for water modelling. The stochastic climate data is 10,000 years of daily data representing the variability of the long-term climate at a location generated. The primary purpose of the stochastic climate data is to be used as input data for water modelling to analysis water related outcomes of river basins under long-term climate and inform the development of water policies, planning and strategies for water management. Climate data is a fundamental input dataset required for water modelling. Rainfall and potential evapotranspiration are the two main types of climate required for the types of water models used for water planning. Temperature data is used in some of the water models (in particular for snowmelt modelling, water demand modelling). Climate data in daily temporal resolution is used as input data to water models of varying types, purposes, and complexity. The water models transform this input data to produce a range of water related modelled data. Stochastic climate data has been generated based on observed climate dataset combined with paleo-climatic information. The observed data is downloaded from the SILO data-base of Australian climate data (<a href="https://www.longpaddock.qld.gov.au/silo/">https://www.longpaddock.qld.gov.au/silo/</a>), which has climate data from 1889-present based on instrumental records at thousands of climate stations. The stochastic data are 10,000-year daily data sets of each climate data at different climate stations.</p>
Status	On going
Spatial representation type	textTable
<b>Spatial reference system</b>	
Code identifying the spatial reference system	4283
Spatial resolution	1 km
Additional information source	Raw data series commenced 01/01/0000 to 31/12/9999
<b>Topic category</b>	

<b>Keyword set</b>	
keyword value	WATER
<b>Originating controlled vocabulary</b>	
Title	ANZLIC Search Words
Reference date	2008-05-16
<b>Geographic location</b>	
West bounding longitude	150.2
East bounding longitude	151.5
North bounding latitude	-34.23
South bounding latitude	-33.35
NSW Place Name	Greater Sydney
<b>Vertical extent information</b>	
Minimum value	-100
Maximum value	2228
<b>Coordinate reference system</b>	
Authority code	urn:ogc:def:cs:EPSG::
Code identifying the coordinate reference system	5711
<b>Temporal extent</b>	
Begin position	0001-01-01
End position	N/A
<b>Dataset reference date</b>	
<b>Resource maintenance</b>	
Maintenance and update frequency	As needed
<b>Contact info</b>	
Contact position	Data Broker
Organisation name	NSW Department of Climate Change, Energy, the Environment and Water
Telephone number	131555
Email address	<a href="mailto:data.broker@environment.nsw.gov.au">data.broker@environment.nsw.gov.au</a>
Web address	<a href="https://www.nsw.gov.au/departments-and-agencies/dcceew">https://www.nsw.gov.au/departments-and-agencies/dcceew</a>
Responsible party role	pointOfContact

## Lineage

The stochastic data are 10,000-year daily data sets at different climate stations, which were generated using observed or derived data sets combined with palaeo-logical climate data information. This work was undertaken by researchers at University of Adelaide and University of Newcastle and used in Regional Water Strategies. The stochastic data were generated region by region with spatial and temporal consistency of the data between regions maintained. Stochastic datasets were generated using the observed climate data and paleo-climatic information. The observed and derived data is downloaded from the SILO data-base of Australian climate data (<https://www.longpaddock.qld.gov.au/silo/>), which has climate data from 1889-present.

## Limitations on public access

## Responsible party

Contact position	Data Broker
Organisation name	NSW Department of Climate Change, Energy, the Environment and Water
Telephone number	131555
Email address	<a href="mailto:data.broker@environment.nsw.gov.au">data.broker@environment.nsw.gov.au</a>
Web address	<a href="https://www.nsw.gov.au/departments-and-agencies/dcceew">https://www.nsw.gov.au/departments-and-agencies/dcceew</a>
Responsible party role	pointOfContact

## Metadata point of contact

Contact position	Data Broker
Organisation name	NSW Department of Climate Change, Energy, the Environment and Water
Telephone number	131555
Email address	<a href="mailto:data.broker@environment.nsw.gov.au">data.broker@environment.nsw.gov.au</a>
Web address	<a href="https://www.nsw.gov.au/departments-and-agencies/dcceew">https://www.nsw.gov.au/departments-and-agencies/dcceew</a>
Responsible party role	pointOfContact

**Metadata date** 2024-08-20T21:03:11.134491

**Metadata language**